



Message Implementation Guideline

## **DSV INVOIC D10B outbound**

based on

**INVOIC**

Invoice message

**UN D.10B S4**

Version: v1.8

Issue date: 2025-02-06

Author: DSV A/S, EDI



## Structure / Table of Contents

Counter	No	Tag	St	MaxOcc	Level	Content
0000	1	UNA	C	1	0	Service string advice
0000	2	UNB	M	1	0	Interchange header
0010	3	UNH	M	1	0	Message header
0020	4	BGM	M	1	0	Beginning of message
0030	5	DTM	M	35	1	Date/time/period
0030	6	DTM	M	35	1	Date/time/period
0070	7	FTX	C	99	1	Free text
0070	8	FTX	C	99	1	Free text
0080	9	LOC	C	10	1	Place/location identification
0120		SG1	C	99999	1	RFF
0130	10	RFF	M	1	1	Reference
0120		SG1	C	99999	1	RFF
0130	11	RFF	M	1	1	Reference
0120		SG1	C	99999	1	RFF
0130	12	RFF	M	1	1	Reference
0220		SG2	C	99	1	NAD-FII-SG3-SG4-SG5
0230	13	NAD	M	1	1	Name and address
0250	14	FII	C	5	2	Financial institution information
0270		SG3	C	9999	2	RFF
0280	15	RFF	M	1	2	Reference
0300		SG4	C	5	2	DOC
0310	16	DOC	M	1	2	Document/message details
0330		SG5	C	5	2	CTA-COM-COM
0340	17	CTA	M	1	2	Contact information
0350	18	COM	C	5	3	Communication contact
0350	19	COM	C	5	3	Communication contact
0220		SG2	C	99	1	NAD-SG3-SG5
0230	20	NAD	M	1	1	Name and address
0270		SG3	C	9999	2	RFF
0280	21	RFF	M	1	2	Reference
0330		SG5	C	5	2	CTA-COM-COM
0340	22	CTA	M	1	2	Contact information
0350	23	COM	C	5	3	Communication contact
0350	24	COM	C	5	3	Communication contact
0400		SG7	C	99	1	CUX-DTM
0410	25	CUX	M	1	1	Currencies
0420	26	DTM	C	5	2	Date/time/period
0430		SG8	C	10	1	PYT-DTM

Counter = Counter of segment/group within the standard  
 No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Content
0440	27	PYT	M	1	1	Payment terms
0450	28	DTM	C	5	2	Date/time/period
0500		SG9	C	10	1	TDT-TSR-SG10-SG10-SG10-SG10-SG11
0510	29	TDT	M	1	1	Transport information
0520	30	TSR	C	1	2	Transport service requirements
0530		SG10	C	10	2	LOC-DTM
0540	31	LOC	M	1	2	Place/location identification
0550	32	DTM	C	5	3	Date/time/period
0530		SG10	C	10	2	LOC-DTM
0540	33	LOC	M	1	2	Place/location identification
0550	34	DTM	C	5	3	Date/time/period
0530		SG10	C	10	2	LOC-DTM
0540	35	LOC	M	1	2	Place/location identification
0550	36	DTM	C	5	3	Date/time/period
0530		SG10	C	10	2	LOC-DTM
0540	37	LOC	M	1	2	Place/location identification
0550	38	DTM	C	5	3	Date/time/period
0560		SG11	C	9999	2	RFF
0570	39	RFF	M	1	2	Reference
0590		SG12	C	5	1	TOD-LOC
0600	40	TOD	M	1	1	Terms of delivery or transport
0610	41	LOC	C	2	2	Place/location identification
0620		SG13	C	99	1	EQD-SEL
0630	42	EQD	M	1	1	Equipment details
0640	43	SEL	C	9	2	Seal number
1160		SG27	C	9999999	1	LIN-IMD-MEA-MEA-MEA-MEA-DTM-EQD-FTX-FTX-SG28-SG31-SG31-SG32-SG34-SG34-SG34-SG34-SG35-SG36-SG40-SG46-SG48
1170	44	LIN	M	1	1	Line item
1200	45	IMD	C	99	2	Item description
1210	46	MEA	C	5	2	Measurements
1210	47	MEA	C	5	2	Measurements
1210	48	MEA	C	5	2	Measurements
1210	49	MEA	C	5	2	Measurements
1250	50	DTM	C	35	2	Date/time/period
1290	51	EQD	C	1	2	Equipment details
1300	52	FTX	C	99	2	Free text
1300	53	FTX	C	99	2	Free text
1320		SG28	C	99	2	MOA
1330	54	MOA	M	1	2	Monetary amount
1460		SG31	C	10	2	RFF

Counter = Counter of segment/group within the standard  
 No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Content
1470	55	RFF	M	1	2	Reference
1460		SG31	C	10	2	RFF
1470	56	RFF	M	1	2	Reference
1490		SG32	C	10	2	PAC-SG33
1500	57	PAC	M	1	2	Package
1530		SG33	C	10	3	PCI
1540	58	PCI	M	1	3	Package identification
1580		SG34	C	9999	2	LOC
1590	59	LOC	M	1	2	Place/location identification
1580		SG34	C	9999	2	LOC
1590	60	LOC	M	1	2	Place/location identification
1580		SG34	C	9999	2	LOC
1590	61	LOC	M	1	2	Place/location identification
1580		SG34	C	9999	2	LOC
1590	62	LOC	M	1	2	Place/location identification
1620		SG35	C	99	2	TAX-MOA
1630	63	TAX	M	1	2	Duty/tax/fee details
1640	64	MOA	C	2	3	Monetary amount
1660		SG36	C	99	2	NAD
1670	65	NAD	M	1	2	Name and address
1790		SG40	C	30	2	ALC-SG43-SG43-SG44-SG45
1800	66	ALC	M	1	2	Allowance or charge
1900		SG43	C	2	3	MOA-CUX
1910	67	MOA	M	1	3	Monetary amount
1930	68	CUX	C	1	4	Currencies
1900		SG43	C	2	3	MOA
1910	69	MOA	M	1	3	Monetary amount
1950		SG44	C	1	3	RTE
1960	70	RTE	M	1	3	Rate details
1980		SG45	C	5	3	TAX-MOA-MOA
1990	71	TAX	M	1	3	Duty/tax/fee details
2000	72	MOA	C	2	4	Monetary amount
2000	73	MOA	C	2	4	Monetary amount
2010		SG46	C	10	2	TDT-SG47-SG47-SG47-SG47
2020	74	TDT	M	1	2	Transport information
2030		SG47	C	10	3	LOC
2040	75	LOC	M	1	3	Place/location identification
2030		SG47	C	10	3	LOC
2040	76	LOC	M	1	3	Place/location identification

Counter = Counter of segment/group within the standard  
 No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used




Counter	No	Tag	St	MaxOcc	Level	Content
	2030	<b>SG47</b>	C	10	3	LOC
	2040	77 <b>LOC</b>	M	1	3	Place/location identification
	2030	<b>SG47</b>	C	10	3	LOC
	2040	78 <b>LOC</b>	M	1	3	Place/location identification
	2060	<b>SG48</b>	C	5	2	TOD-LOC
	2070	79 <b>TOD</b>	M	1	2	Terms of delivery or transport
	2080	80 <b>LOC</b>	C	2	3	Place/location identification
	2320	81 <b>UNS</b>	M	1	0	Section control
	2340	<b>SG52</b>	M	100	1	MOA
	2350	82 <b>MOA</b>	M	1	1	Monetary amount
	2340	<b>SG52</b>	M	100	1	MOA
	2350	83 <b>MOA</b>	M	1	1	Monetary amount
	2340	<b>SG52</b>	M	100	1	MOA
	2350	84 <b>MOA</b>	M	1	1	Monetary amount
	2340	<b>SG52</b>	M	100	1	MOA
	2350	85 <b>MOA</b>	M	1	1	Monetary amount
	2340	<b>SG52</b>	M	100	1	MOA
	2350	86 <b>MOA</b>	M	1	1	Monetary amount
	2340	<b>SG52</b>	M	100	1	MOA
	2350	87 <b>MOA</b>	M	1	1	Monetary amount
	2390	<b>SG54</b>	C	10	1	TAX-MOA-MOA
	2400	88 <b>TAX</b>	M	1	1	Duty/tax/fee details
	2410	89 <b>MOA</b>	C	9	2	Monetary amount
	2410	90 <b>MOA</b>	C	9	2	Monetary amount
	2390	<b>SG54</b>	C	10	1	TAX-MOA-MOA
	2400	91 <b>TAX</b>	M	1	1	Duty/tax/fee details
	2410	92 <b>MOA</b>	C	9	2	Monetary amount
	2410	93 <b>MOA</b>	C	9	2	Monetary amount
	2470	94 <b>UNT</b>	M	1	0	Message trailer

Counter = Counter of segment/group within the standard  
 No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used




Branching Diagram of Used Segments/Groups




Tag
St MaxOcc
No
Counter

Tag = Segment/Group Tag  
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)  
MaxOcc = Maximum occurrence of the segment/group  
No = Consecutive segment number  
Counter = Counter of segment/group within the standard



Tag	
St	MaxOcc
No	
Counter	


Tag = Segment/Group Tag  
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)  
MaxOcc = Maximum occurrence of the segment/group  
No = Consecutive segment number  
Counter = Counter of segment/group within the standard



Tag
St MaxOcc
No
Counter


Tag = Segment/Group Tag  
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)  
MaxOcc = Maximum occurrence of the segment/group  
No = Consecutive segment number  
Counter = Counter of segment/group within the standard






Tag	
St	MaxOcc
No	
Counter	

Tag = Segment/Group Tag  
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)  
MaxOcc = Maximum occurrence of the segment/group  
No = Consecutive segment number  
Counter = Counter of segment/group within the standard




Tag
St MaxOcc
No
Counter

Tag = Segment/Group Tag  
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)  
MaxOcc = Maximum occurrence of the segment/group  
No = Consecutive segment number  
Counter = Counter of segment/group within the standard




Tag
St MaxOcc
No
Counter

Tag = Segment/Group Tag  
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)  
MaxOcc = Maximum occurrence of the segment/group  
No = Consecutive segment number  
Counter = Counter of segment/group within the standard




Tag
St MaxOcc
No
Counter

Tag = Segment/Group Tag  
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)  
MaxOcc = Maximum occurrence of the segment/group  
No = Consecutive segment number  
Counter = Counter of segment/group within the standard




Tag
St MaxOcc
No
Counter

Tag = Segment/Group Tag  
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)  
MaxOcc = Maximum occurrence of the segment/group  
No = Consecutive segment number  
Counter = Counter of segment/group within the standard



Tag
St MaxOcc
No
Counter

Tag = Segment/Group Tag  
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)  
MaxOcc = Maximum occurrence of the segment/group  
No = Consecutive segment number  
Counter = Counter of segment/group within the standard



Tag
St MaxOcc
No
Counter

Tag = Segment/Group Tag  
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)  
MaxOcc = Maximum occurrence of the segment/group  
No = Consecutive segment number  
Counter = Counter of segment/group within the standard







Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0000	2	<b>UNB</b>	M	1	0	Interchange header
------	---	------------	---	---	---	--------------------

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNB				
S001	Syntax identifier	M	M	
0001	Syntax identifier	M a4	M a4	<b>List of valid codes</b> <b>UNOC</b> UN/ECE level C
0002	Syntax version number	M an1	M an1	<b>List of valid codes</b> <b>4</b> Version 4
0080	Service code list directory version number	C an..6	N	
0133	Character encoding, coded	C an..3	N	
0076	Syntax release number	C an2	N	
S002	Interchange sender	M	M	
0004	Interchange sender identification	M an..35	M an..35	<b>General Notes</b> Name or Coded ID of the Sender of the Interchange: This will be agreed between the interchange parties and may be specified in element 0007
0007	Identification code qualifier	C an..4	C an..4	<b>General Notes</b> All valid Codes are used and refer to an organisation ID as in ISO 6523  <b>List of valid codes</b> <b>ZZZ</b> Mutually defined
0008	Interchange sender internal identification	C an..35	N	
0042	Interchange sender internal sub-identification	C an..35	N	
S003	Interchange recipient	M	M	
0010	Interchange recipient identification	M an..35	M an..35	<b>General Notes</b> Name or Coded ID of the Receiver of the Interchange: This will be agreed between the interchange parties and may be specified in element 0007
0007	Identification code qualifier	C an..4	C an..4	<b>General Notes</b> All valid Codes are used and refer to an organisation ID as in ISO 6523
0014	Interchange recipient internal identification	C an..35	N	
0046	Interchange recipient internal sub-identification	C an..35	N	
S004	Date and time of preparation	M	M	
0017	Date	M n8	M n8	<b>General Notes</b> Local Date when Interchange prepared in format 'yymmdd'

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
0019	Time	M n4	M n4	<b>General Notes</b> Local Time when Interchange prepared in format 'hhmm' as 24 hour clock
0020	Interchange control reference	M an..14	M an..14	<b>General Notes</b> Unique Reference assigned by the Sender for the Interchange
S005	Recipient reference/password details	C	N	
0022	Recipient reference/password	M an..14	N	
0025	Recipient reference/password qualifier	C an2	N	
0026	Application reference	C an..14	N	
0029	Processing priority code	C a1	N	
0031	Acknowledgement request	C n1	N	
0032	Interchange agreement identifier	C an..35	N	
0035	Test indicator	C n1	C n1	
				<b>List of valid codes</b> <b>1</b> Interchange is a test

**Segment Remarks:****General Notes**

Message examples:

UNB+UNOC:4+5790000834129:ZZZ:+PartnerId:ZZZ:+20221220:1500+00000000012345'

**Example:**

UNB+UNOC:4+5790000834129:ZZZ+PartnerId:ZZZ+20221220:1500+00000000012345+++++1'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0010	3	<b>UNH</b>	M	1	0	Message header
------	---	------------	---	---	---	----------------

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNH				
0062	Message reference number	M an..14	M an..14	
S009	Message identifier	M	M	
0065	Message type	M an..6	M an..6	<a href="#">List of valid codes</a> <b>INVOIC</b> Invoice message
0052	Message version number	M an..3	M an..3	<a href="#">List of valid codes</a> <b>D</b> Draft version/UN/EDIFACT Directory
0054	Message release number	M an..3	M an..3	<a href="#">List of valid codes</a> <b>10B</b> Release 2010 - B
0051	Controlling agency, coded	M an..3	M an..3	<a href="#">List of valid codes</a> <b>UN</b> UN/CEFACT
0057	Association assigned code	C an..6	N	
0110	Code list directory version number	C an..6	N	
0113	Message type sub-function identification	C an..6	N	
0068	Common access reference	C an..35	N	
S010	Status of the transfer	C	N	
0070	Sequence of transfers	M n..2	N	
0073	First and last transfer	C a1	N	
S016	Message subset identification	C	N	
0115	Message subset identification	M an..14	N	
0116	Message subset version number	C an..3	N	
0118	Message subset release number	C an..3	N	
0051	Controlling agency, coded	C an..3	N	
S017	Message implementation guideline identification	C	N	
0121	Message implementation guideline identification	M an..14	N	
0122	Message implementation guideline version number	C an..3	N	
0124	Message implementation guideline release number	C an..3	N	
0051	Controlling agency, coded	C an..3	N	
S018	Scenario identification	C	N	
0127	Scenario identification	M an..14	N	
0128	Scenario version number	C an..3	N	
0130	Scenario release number	C an..3	N	
0051	Controlling agency, coded	C an..3	N	

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



**Segment Remarks:**  
**GeneralNotes**

Message examples:  
UNH+123456+INVOIC:D:10B:UN'

**Example:**  
UNH+123456+INVOIC:D:10B:UN'

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0020 4 **BGM** M 1 0 Beginning of message

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
BGM				
C002	Document/message name	C	C	
1001	Document name code	C an..3	C an..3	<b>List of valid codes</b> <b>380</b> Commercial invoice <b>381</b> Credit note
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
1000	Document name	C an..35	N	
C106	Document/message identification	C	C	
1004	Document identifier	C an..70	C an..70	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	
1225	Message function code	C an..3	C an..3	<b>List of valid codes</b> <b>9</b> Original
4343	Response type code	C an..3	N	

**Segment Remarks:****General Notes**

Message examples:

BGM+380+DK456654+9'

BGM+381+DK456654+9'

**Example:**

BGM+380+DK456654+9'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0030 5 **DTM** M 35 1 Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	<p><b>List of valid codes</b></p> <p><b>137</b> Document issue date time</p>
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	<p><b>List of valid codes</b></p> <p><b>203</b> CCYYMMDDHHMM</p>

**Segment Remarks:****General Notes**

Message examples:

DTM+137:202211182100:203'

**Example:**

DTM+137:201804040800:203'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0030 6 **DTM** M 35 1 Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	<p><b>List of valid codes</b></p> <p><b>3</b> Invoice document issue date time</p>
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	<p><b>List of valid codes</b></p> <p><b>203</b> CCYYMMDDHHMM</p>

**Segment Remarks:****General Notes**

Message examples:

DTM+3:202211012100:203'

**Example:**

DTM+3:201804121600:203'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0070	7	<b>FTX</b>	C	99	1	Free text

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	<a href="#">List of valid codes</a> <b>ADU</b> Note
4453	Free text function code	C an..3	N	
C107	Text reference	C	N	
4441	Free text description code	M an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

**Segment Remarks:****General Notes**

Message examples:

FTX+ADU+++Note'

**Example:**

FTX+ADU+++Note'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used





Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0070    8    **FTX**    C    99    1    Free text

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	<p><b>List of valid codes</b></p> <p><b>DCL</b>      Document issuer declaration</p>
4453	Free text function code	C an..3	N	
C107	Text reference	C	N	
4441	Free text description code	M an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

**Segment Remarks:****General Notes**

Message examples:

FTX+DCL+++Document issuer declaration'

**Example:**

FTX+DCL+++Document issuer declaration:X:X:X'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0080 9 **LOC** C 10 1 **Place/location identification**

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				<b>List of valid codes</b> <b>183</b> Place of business
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

**Segment Remarks:****General Notes**

Message examples:

LOC+183+I382::DKHOR'

**Example:**

LOC+183+I382::DKHOR'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0120		<b>SG1</b>	C	99999	1	<b>RFF</b>
0130	10	<b>RFF</b>	M	1	1	<b>Reference</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				<b>List of valid codes</b>
				<b>AAM</b> Waybill number
				<b>AAO</b> Consignment identifier, consignee assigned
				<b>AAS</b> Transport contract document identifier
				<b>ABE</b> Declarant's reference number
				<b>AFB</b> Cargo manifest number
				<b>AFL</b> Associated invoices
				<b>BH</b> House bill of lading number
				<b>CRN</b> Transport means journey identifier
				<b>MB</b> Master bill of lading number
				<b>SRN</b> Shipment reference number
				<b>TIN</b> Transport instruction number
				<b>ZCU</b> Customer reference
				<b>PQ</b> Payment reference
				<b>OH</b> Current invoice number
				<b>OI</b> Previous invoice number
				<b>OR</b> General order number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

**Segment Remarks:****General Notes**

Message examples:

RFF+AAS:6982842384'

RFF+AAM:310651'

RFF+AFB:DSV-12345'

RFF+BH:DSV1234567'

RFF+CRN:321654'

RFF+MB:310651'

RFF+OI:DK456654'

RFF+SRN:69828423841234567'

**Example:**

RFF+AAM:1223559'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0120		<b>SG1</b>	C	99999	1	RFF
------	--	------------	---	-------	---	-----

[Sea Notes](#)

0130	11	<b>RFF</b>	M	1	1	Reference
------	----	------------	---	---	---	-----------

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				<a href="#">List of valid codes</a>
				<b>CU</b> Consignment identifier, consignor assigned
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

**Segment Remarks:****General Notes**

Message examples:

RFF+CU:12345'

**Example:**

RFF+CU:1223559'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0120		<b>SG1</b>	C	99999	1	<b>RFF</b>
0130	12	<b>RFF</b>	M	1	1	<b>Reference</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				<b>List of valid codes</b>
				<b>PQ</b> Payment reference
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

**Segment Remarks:****General Notes**

Message examples:

RFF+PQ:309863385000006298123'

**Example:**

RFF+PQ:309863385000006298123'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0220		<b>SG2</b>	C	99	1	<b>NAD-FII-SG3-SG4-SG5</b>
0230	13	<b>NAD</b>	M	1	1	<b>Name and address</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
NAD				
3035	Party function code qualifier	M an..3	M an..3	<a href="#">List of valid codes</a> <b>II</b> Invoice issuer
C082	Party identification details	C	C	
3039	Party identifier	M an..35	M an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	<a href="#">List of valid codes</a> <b>9</b> GS1
C058	Name and address	C	N	
3124	Name and address description	M an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
C080	Party name	C	C	
3036	Party name	M an..70	M an..70	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3045	Party name format code	C an..3	N	
C059	Street	C	C	
3042	Street and number or post office box identifier	M an..35	M an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	N	
3164	City name	C an..35	C an..35	
C819	Country subdivision details	C	N	
3229	Country subdivision identifier	C an..9	C an..9	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3228	Country subdivision name	C an..70	N	
3251	Postal identification code	C an..17	C an..17	
3207	Country identifier	C an..3	C an..3	

**Segment Remarks:**

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



**General Notes**

Message examples:

NAD+II+123456789::91++Invoice issuer+West street 10+CITY++134408+XX'

**Example:**

NAD+II+987654321::9++Invoice issuer+East street 20:2nd address:X+HEDEHUSENE++2630+DK'

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0220		<b>SG2</b>	C	99	1	<b>NAD-FII-SG3-SG4-SG5</b>
0250	14	<b>FII</b>	C	5	2	<b>Financial institution information</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FII				
3035	Party function code qualifier	M an..3	M an..3	<b>List of valid codes</b> <b>II</b> Invoice issuer
C078	Account holder identification	C	C	
3194	Account holder identifier	C an..35	C an..35	
3192	Account holder name	C an..35	C an..35	
3192	Account holder name	C an..35	N	
6345	Currency identification code	C an..3	N	
C088	Institution identification	C	C	
3433	Institution name code	C an..11	C an..11	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	<b>List of valid codes</b> <b>17</b> S.W.I.F.T.
3434	Institution branch identifier	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3432	Institution name	C an..70	C an..70	
3436	Institution branch location name	C an..70	C an..70	
3207	Country identifier	C an..3	N	

**Segment Remarks:****General Notes**

Message examples:

FII+II+SE 19 9500 0099 6034 0872 0708:DSV Air &amp; Sea AB+NDEASESS::17:3408720708::9960:NORDEA BANK AB'

**Example:**

FII+II+SE 19 9500 0099 6034 0872 0708:DSV Air &amp; Sea AB+NDEASESS::17:3408720708::9960:NORDEA BANK AB'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used





Counter	No	Tag	St	MaxOcc	Level	Name
0270		<b>SG3</b>	C	9999	2	<b>RFF</b>
0280	15	<b>RFF</b>	M	1	2	<b>Reference</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				<b>List of valid codes</b>
				<b>VA</b> VAT registration number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

**Segment Remarks:****General Notes**

Message examples:

RFF+VA:DK1234567890'

**Example:**

RFF+VA:VATNumber '

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0300		<b>SG4</b>	C	5	2	DOC
0310	16	<b>DOC</b>	M	1	2	Document/message details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DOC				
C002	Document/message name	M	M	
1001	Document name code	C an..3	C an..3	<b>List of valid codes</b> <b>385</b> Consolidated invoice <b>395</b> Consignment invoice
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
1000	Document name	C an..35	N	
C503	Document/message details	C	N	
1004	Document identifier	C an..70	N	
1373	Document status code	C an..3	N	
1366	Document source description	C an..70	N	
3453	Language name code	C an..3	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	
3153	Communication medium type code	C an..3	N	
1220	Document copies required quantity	C n..2	N	
1218	Document originals required quantity	C n..2	N	

**Segment Remarks:****General Notes**

Composite / Single Invoice Flag.

When reading NAD type "II"

If Consolidated Invoice then this defined as 385

If single Invoice defined as Consignment Invoice (Including Transports) as 395

## Message examples:

DOC+385'

DOC+395'

**Example:**

DOC+385'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0330		<b>SG5</b>	C	5	2	<b>CTA-COM</b>
0340	17	<b>CTA</b>	M	1	2	<b>Contact information</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CTA				
3139	Contact function code	C an..3	C an..3	<a href="#">List of valid codes</a> <b>AR</b> Accounts receivable contact
C056	Contact details	C	C	
3413	Contact identifier	C an..17	N	
3412	Contact name	C an..256	C an..256	

**Segment Remarks:****General Notes**

Message examples:

CTA+AR+:Invoice issuer'

**Example:**

CTA+AR+:Invoice issuer'

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0330		<b>SG5</b>	C	5	2	<b>CTA-COM</b>
0350	18	<b>COM</b>	C	5	3	<b>Communication contact</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..512	
3155	Communication means type code	M an..3	M an..3	
				<b>List of valid codes</b>
				<b>TE</b> Telephone

**Segment Remarks:****General Notes**

Methods of contact - - Repeated for both Email and Telephone

Message examples:

COM+010-99999999:TE'

COM+contact@email.com'

**Example:**

COM+010-4455663388:TE'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0330		<b>SG5</b>	C	5	2	<b>CTA-COM</b>
0350	19	<b>COM</b>	C	5	3	<b>Communication contact</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..512	
3155	Communication means type code	M an..3	M an..3	
				<b>List of valid codes</b>
				<b>EM</b> Electronic mail

**Segment Remarks:****General Notes**

Methods of contact - - Repeated for both Email and Telephone

Message examples:

COM+010-99999999:TE'

COM+contact@email.com'

**Example:**

COM+abc@xx.dsv.com:EM'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0220		<b>SG2</b>	C	99	1	<b>NAD-SG3-SG5</b>
0230	20	<b>NAD</b>	M	1	1	<b>Name and address</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
NAD				
3035	Party function code qualifier	M an..3	M an..3	<a href="#">List of valid codes</a> <b>IV</b> Invoicee
C082	Party identification details	C	C	
3039	Party identifier	M an..35	M an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	<a href="#">List of valid codes</a> <b>9</b> GS1
C058	Name and address	C	N	
3124	Name and address description	M an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
C080	Party name	C	C	
3036	Party name	M an..70	M an..70	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3045	Party name format code	C an..3	N	
C059	Street	C	C	
3042	Street and number or post office box identifier	M an..35	M an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	N	
3164	City name	C an..35	C an..35	
C819	Country subdivision details	C	N	
3229	Country subdivision identifier	C an..9	C an..9	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3228	Country subdivision name	C an..70	N	
3251	Postal identification code	C an..17	C an..17	
3207	Country identifier	C an..3	C an..3	

**Segment Remarks:**

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



**General Notes**

Message examples:

NAD+IV+987654321::87++Invoicee+East street 5+CITY++12345+XX'

**Example:**

NAD+IV+123456789::9++Company +West street 12B:Warehouse 8:150+COPENHAGEN++1610+DK'

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0270		SG3	C	9999	2	RFF
0280	21	RFF	M	1	2	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				List of valid codes
				VA VAT registration number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:  
General Notes  
Message examples:  
RFF+VA:DK1234567890'

Example:  
RFF+VA:VATNumber '





Counter	No	Tag	St	MaxOcc	Level	Name
0330		<b>SG5</b>	C	5	2	<b>CTA-COM</b>
0340	22	<b>CTA</b>	M	1	2	<b>Contact information</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CTA				
3139	Contact function code	C an..3	C an..3	<a href="#">List of valid codes</a> <b>AP</b> Accounts payable contact
C056	Contact details	C	C	
3413	Contact identifier	C an..17	N	
3412	Contact name	C an..256	C an..256	

**Segment Remarks:****General Notes**

Message examples:  
CTA+AP+:Invoicee'

**Example:**

CTA+AP+:Invoicee'

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0330		<b>SG5</b>	C	5	2	<b>CTA-COM</b>
0350	23	<b>COM</b>	C	5	3	<b>Communication contact</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..512	
3155	Communication means type code	M an..3	M an..3	
				<b>List of valid codes</b>
				<b>TE</b> Telephone

**Segment Remarks:****General Notes**

Methods of contact - - Repeated for both Email and Telephone

Message examples:

COM+010-99999999:TE'

COM+contact@email.com'

**Example:**

COM+010-4455663388:TE'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0330		<b>SG5</b>	C	5	2	<b>CTA-COM</b>
0350	24	<b>COM</b>	C	5	3	<b>Communication contact</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..512	
3155	Communication means type code	M an..3	M an..3	
				<b>List of valid codes</b>
				<b>EM</b> Electronic mail

**Segment Remarks:****General Notes**

Methods of contact - - Repeated for both Email and Telephone

Message examples:

COM+010-99999999:TE'

COM+contact@email.com'

**Example:**

COM+abc@xx.dsv.com:EM'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0400		<b>SG7</b>	C	99	1	<b>CUX-DTM</b>
0410	25	<b>CUX</b>	M	1	1	<b>Currencies</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CUX				
C504	Currency details	C	C	
6347	Currency usage code qualifier	M an..3	M an..3	
				<b>List of valid codes</b>
				<b>2</b> Reference currency
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				<b>List of valid codes</b>
				<b>10</b> Pricing currency
6348	Currency rate	C n..4	N	
C504	Currency details	C	C	
6347	Currency usage code qualifier	M an..3	M an..3	
				<b>List of valid codes</b>
				<b>3</b> Target currency
6345	Currency identification code	C an..3	C an..3	
				<b>General Notes</b>
				All currencies allowed using ISO4217 three alpha character code
6343	Currency type code qualifier	C an..3	C an..3	
				<b>List of valid codes</b>
				<b>11</b> Payment currency
6348	Currency rate	C n..4	N	
5402	Currency exchange rate	C n..12	C n..12	
				<b>General Notes</b>
				Rate of exchange between the currencies. In case of several exchange rates, the last one will be visible. Details of each exchange rate can be found in SG43/CUX.5402
6341	Exchange rate currency market identifier	C an..3	N	

**Segment Remarks:****General Notes**

If Single Invoice and 1 currency Rate then this segment is used for Rate of Exchange

## Message examples:

CUX+2:DKK:10+3:EUR:11+0.75'

**Example:**

CUX+2:DKK:10+3:EUR:11+1'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0400		<b>SG7</b>	C	99	1	<b>CUX-DTM</b>
0420	26	<b>DTM</b>	C	5	2	<b>Date/time/period</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	<b>General Notes</b> If Currency same then this segment not required  <b>List of valid codes</b> <b>134</b> Rate of exchange date/time
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	<b>List of valid codes</b> <b>102</b> CCYYMMDD

**Segment Remarks:****Example:**

DTM+134:20181102:102'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0430		<b>SG8</b>	C	10	1	PYT-DTM
0440	27	<b>PYT</b>	M	1	1	Payment terms

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
PYT				
4279	Payment terms type code qualifier	M an..3	M an..3	<b>List of valid codes</b> <b>3</b> Fixed date <b>2</b> End of month <b>18</b> Previously agreed upon <b>45</b> Contract basis <b>47</b> Dating given
C019	Payment terms	C	C	
4277	Payment terms description identifier	C an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
4276	Payment terms description	C an..35	C an..35	
2475	Event time reference code	C an..3	N	
2009	Terms time relation code	C an..3	N	
2151	Period type code	C an..3	C an..3	<b>List of valid codes</b> <b>M</b> Month <b>D</b> Day
2152	Period count quantity	C n..3	C n..3	

**Segment Remarks:****General Notes**

Terms of Payment

Message examples:

PYT+3+:::Desc.of terms+++D+45'

**Example:**

PYT+3+:::Desc. of terms+++D+45'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0430		<b>SG8</b>	C	10	1	PYT-DTM
0450	28	<b>DTM</b>	C	5	2	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	<a href="#">List of valid codes</a> <b>13</b> Terms net due date
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	<a href="#">List of valid codes</a> <b>102</b> CCYYMMDD

**Segment Remarks:****General Notes**

Date of Invoice Payment required

Message examples:

DTM+13:20221220:102'

**Example:**

DTM+13:20180531:102'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0500		<b>SG9</b>	C	10	1	TDT-TSR-SG10-SG11
0510	29	<b>TDT</b>	M	1	1	Transport information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TDT				
8051	Transport stage code qualifier	M an..3	M an..3	<b>List of valid codes</b> <b>15</b> Main carriage - fourth carrier <b>16</b> Main carriage - fifth carrier <b>20</b> Main-carriage transport <b>21</b> Main carriage - first carrier <b>22</b> Main carriage - second carrier <b>23</b> Main carriage - third carrier
8028	Means of transport journey identifier	C an..17	C an..17	
C220	Mode of transport	C	C	
8067	Transport mode name code	C an..3	C an..3	<b>List of valid codes</b> <b>1</b> Maritime transport <b>3</b> Road transport <b>4</b> Air transport
8066	Transport mode name	C an..17	N	
C001	Transport means	C	C	
8179	Transport means description code	C an..8	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8178	Transport means description	C an..17	C an..17	
C040	Carrier	C	C	
3127	Carrier identifier	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3126	Carrier name	C an..35	C an..35	
8101	Transit direction indicator code	C an..3	N	
C401	Excess transportation information	C	N	
8457	Excess transportation reason code	M an..3	N	
8459	Excess transportation responsibility code	M an..3	N	
7130	Customer shipment authorisation identifier	C an..17	N	
C222	Transport identification	C	C	
8213	Transport means identification name identifier	C an..35	N	
1131	Code list identification code	C an..17	N	

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used





Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
3055	Code list responsible agency code	C an..3	N	
8212	Transport means identification name	C an..70	C an..70	
8453	Transport means nationality code	C an..3	N	
8281	Transport means ownership indicator code	C an..3	N	

**Segment Remarks:****General Notes**

Message examples:

TDT+20+Sea+1+:::LH320+:::Shipping line+++:::Vessel:US'

TDT+20++2'

TDT+20++3'

TDT+20+Air+4+:::014W+:::Airline'

**Example:**

TDT+20+Air+1+:::LH320+6403864782:::LUFTHANSA+++:::LUFTHANSA'

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0500		<b>SG9</b>	C	10	1	TDT-TSR-SG10-SG11
0520	30	<b>TSR</b>	C	1	2	Transport service requirements

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TSR				
C536	Contract and carriage condition	C	N	
4065	Contract and carriage condition code	M an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C233	Service	C	C	
7273	Service requirement code	M an..3	M an..3	<b>List of valid codes</b> <b>2</b> Full loads <b>3</b> Less than full loads <b>B07</b> Express 07:00 ( DSV specific code) <b>B10</b> Express 10:00 ( DSV specific code) <b>B12</b> Express 12:00 ( DSV specific code) <b>B16</b> Express 16:00 ( DSV specific code) <b>CRN</b> Crane required loading or unloading or both ( DSV specific code) <b>EPL</b> EPLT - E-service pallet ( DSV specific code) <b>EPR</b> EPRC - E-service colli ( DSV specific code) <b>HAZ</b> Hazardous goods ( DSV specific code) <b>ING</b> INGT - InNight product ( DSV specific code) <b>LIF</b> LIFT - Tail lift ( DSV specific code) <b>NTF</b> NTFY - Notify ( DSV specific code) <b>OEX</b> Omex service goods ( DSV specific code) <b>PAD</b> PADV - Pre-advice ( DSV specific code) <b>PDS</b> PDS - Personal delivery service ( DSV specific code)
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7273	Service requirement code	C an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C537	Transport priority	C	C	
4219	Transport service priority code	M an..3	M an..3	<b>List of valid codes</b> <b>1</b> Express <b>2</b> High speed <b>3</b> Normal speed <b>4</b> Post service
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
	code			
C703	Nature of cargo	C	N	
7085	Cargo type classification code	M an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	

**Segment Remarks:****General Notes**

Type of Service TSR

Message examples:

TSR++3+3' (Road LTL, Normal speed)

TSR++2+3' (Road FTL, Normal speed)

TSR++B07' (Road DSV Express 07:00)

TSR++B10' (Road DSV Express 10:00)

TSR++B12' (Road DSV Express 12:00)

TSR++B16' (Road DSV Express 16:00)

TSR++CRN' (DSV Crane required loading or unloading or both)

TSR++EPL' (DSV EPLT - E-service pallet)

TSR++EPR' (DSV EPRC- E-service collie)

TSR++HAZ' (DSV Hazardous goods)

TSR++ING' (DSV INGT - InNight product)

TSR++LIF' (DSV LIFT-Tail lift)

TSR++NTF' (DSV NTFY - Notify)

**Example:**

TSR++2+1'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		<b>SG10</b>	C	10	2	LOC-DTM
0540	31	<b>LOC</b>	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	<a href="#">List of valid codes</a> <b>9</b> Place of loading
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	<a href="#">List of valid codes</a> <b>3</b> IATA (International Air Transport Association)
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

**Segment Remarks:****General Notes**

Place of Loading

**Message examples:**

LOC+9+KHKOS::6:SIHANOUKVILLE+KOS::3+40958::112'

**Example:**

LOC+9+DEFRA:::Frankfurt am Main+X::3+X'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		<b>SG10</b>	C	10	2	LOC-DTM
0550	32	<b>DTM</b>	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	<p><b>List of valid codes</b></p> <p><b>757</b> Departure date/time from place of loading</p> <p><b>186</b> Transport means departure date/time, actual</p>
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	<p><b>List of valid codes</b></p> <p><b>203</b> CCYYMMDDHHMM</p>

**Segment Remarks:****General Notes**

Message examples:

DTM+186:202210071549:204'

DTM+757:202210051600:204'

**Example:**

DTM+186:201812131000:203'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		<b>SG10</b>	C	10	2	LOC-DTM
0540	33	<b>LOC</b>	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	<a href="#">List of valid codes</a> <b>8</b> Place of destination
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

**Segment Remarks:****General Notes**

Place of Destination

Message examples:

LOC+8+USLAX::6'

LOC+8+LAX:145:3:LOS ANGELES'

**Example:**

LOC+8+DEFRA:::Frankfurt am Main'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		<b>SG10</b>	C	10	2	LOC-DTM
0550	34	<b>DTM</b>	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	<p><b>List of valid codes</b></p> <p><b>132</b> Transport means arrival date time, estimated</p> <p><b>178</b> Transport means arrival date time, actual</p>
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	<p><b>List of valid codes</b></p> <p><b>203</b> CCYYMMDDHHMM</p>

**Segment Remarks:****General Notes**

Message examples:

DTM+132:202210071549:204'

DTM+178:202210051600:204'

**Example:**

DTM+132:201812131000:203'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		<b>SG10</b>	C	10	2	<b>LOC-DTM</b>
0540	35	<b>LOC</b>	M	1	2	<b>Place/location identification</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	<a href="#">List of valid codes</a> <b>5</b> Place of departure
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

**Segment Remarks:****General Notes**

Place of Departure

Message examples:

LOC+5+DKBLL::6'

**Example:**

LOC+5+DEFRA:::Frankfurt am Main'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used





Counter	No	Tag	St	MaxOcc	Level	Name
0530		<b>SG10</b>	C	10	2	LOC-DTM
0550	36	<b>DTM</b>	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	<p><b>List of valid codes</b></p> <p><b>136</b> Transport means departure date time, actual</p> <p><b>189</b> Transport means departure date/time, scheduled</p>
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	<p><b>List of valid codes</b></p> <p><b>203</b> CCYYMMDDHHMM</p>

**Segment Remarks:****General Notes**

Message examples:

DTM+136:202210071549:204'

DTM+189:202210051600:204'

**Example:**

DTM+136:201812131000:203 '

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		<b>SG10</b>	C	10	2	LOC-DTM
0540	37	<b>LOC</b>	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	<a href="#">List of valid codes</a> <b>11</b> Place of discharge
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

**Segment Remarks:****General Notes**

Place of Unloading/Discharge

Message examples:

LOC+11+SGSIN::SINGAPORE'

**Example:**

LOC+11+DEFRA::Frankfurt am Main+X+X'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		<b>SG10</b>	C	10	2	LOC-DTM
0550	38	<b>DTM</b>	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	<a href="#">List of valid codes</a> <b>232</b> Transport means arrival date/time, scheduled
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	<a href="#">List of valid codes</a> <b>203</b> CCYYMMDDHHMM

**Segment Remarks:****General Notes**

Message examples:

DTM+232:202210071549:204'

**Example:**

DTM+232:201812131000:203'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0560		<b>SG11</b>	C	9999	2	<b>RFF</b>
0570	39	<b>RFF</b>	M	1	2	<b>Reference</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				<b>List of valid codes</b> <b>AAZ</b> Standard Carrier Alpha Code (SCAC) number <b>AFB</b> Cargo manifest number <b>MB</b> Master bill of lading number <b>TF</b> Transfer number <b>TIN</b> Transport instruction number <b>VM</b> Vessel identifier
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

**Segment Remarks:****General Notes**

Message examples:

RFF+AAZ:123456789'

RFF+AFB:DSV-12345'

RFF+MB:310651'

RFF+TIN:DKHOR-12345'

**Example:**

RFF+MB:123456789'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0590		<b>SG12</b>	C	5	1	<b>TOD-LOC</b>
0600	40	<b>TOD</b>	M	1	1	<b>Terms of delivery or transport</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TOD				
4055	Delivery or transport terms function code	C an..3	C an..3	<b>List of valid codes</b> <b>6</b> Delivery condition
4215	Transport charges payment method code	C an..3	N	
C100	Terms of delivery or transport	C	C	
4053	Delivery or transport terms description code	C an..3	C an..3	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	N	
4052	Delivery or transport terms description	C an..70	N	
4052	Delivery or transport terms description	C an..70	N	

**Segment Remarks:****General Notes**

Message examples:

TOD+++EXW'

TOD+++022:ZCT'

**Example:**

TOD+6+++EXW: INCOTERMS'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0590		<b>SG12</b>	C	5	1	<b>TOD-LOC</b>
0610	41	<b>LOC</b>	C	2	2	<b>Place/location identification</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	<a href="#">List of valid codes</a> <b>1</b> Place of terms of delivery
C517	Location identification	C	C	
3225	Location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

**Segment Remarks:****General Notes**

Message examples:

LOC+1+DKHOR::6:Horsens'

**Example:**

LOC+1+:::Frankfurt am Main'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0620		<b>SG13</b>	C	99	1	EQD-SEL
0630	42	<b>EQD</b>	M	1	1	Equipment details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
EQD				
8053	Equipment type code qualifier	M an..3	M an..3	<b>List of valid codes</b> <b>CN</b> Container
C237	Equipment identification	C	C	
8260	Equipment identifier	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3207	Country identifier	C an..3	N	
C224	Equipment size and type	C	C	
8155	Equipment size and type description code	C an..10	C an..10	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8154	Equipment size and type description	C an..35	C an..35	
8077	Equipment supplier code	C an..3	N	
8249	Equipment status code	C an..3	N	
8169	Full or empty indicator code	C an..3	C an..3	<b>List of valid codes</b> <b>7</b> Full, mixed consignment <b>8</b> Full, single consignment
4233	Marking instructions code	C an..3	N	

**Segment Remarks:****General Notes**

Message examples:

EQD+CN++20GP'

EQD+CN+CAXU7290380+20GP'

EQD+CN+CAXU7290380+20GP:22G0:5'

**Example:**

EQD+CN+TCLU229803+40HC:::45GO+++8'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0620		<b>SG13</b>	C	99	1	<b>EQD-SEL</b>
0640	43	<b>SEL</b>	C	9	2	<b>Seal number</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
SEL				
9308	Transport unit seal identifier	C an..35	C an..35	
C215	Seal issuer	C	N	
9303	Sealing party name code	C an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
9302	Sealing party name	C an..35	N	
4517	Seal condition code	C an..3	N	
C208	Identity number range	C	N	
7402	Object identifier	M an..35	N	
7402	Object identifier	C an..35	N	
4525	Seal type code	C an..3	N	

**Segment Remarks:****General Notes**

Message example:  
SEL+Z12800+SH'

**Example:**

SEL+DSV123'

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used





Counter	No	Tag	St	MaxOcc	Level	Name
1160		<b>SG27</b>	C	9999999	1	<b>LIN-IMD-MEA-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48</b>
1170	44	<b>LIN</b>	M	1	1	Line item

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LIN				
1082	Line item identifier	C an..6	C an..6	
1229	Action code	C an..3	N	
C212	Item number identification	C	C	
7140	Item identifier	C an..35	C an..35	
7143	Item type identification code	C an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C829	Sub-line information	C	N	
5495	Sub-line indicator code	C an..3	N	
1082	Line item identifier	C an..6	N	
1222	Configuration level number	C n..2	N	
7083	Configuration operation code	C an..3	N	

**Segment Remarks:****General Notes**

Message examples:

LIN+1++BOG0-Z3362'

**Example:**

LIN+1++BOG03-Z3362 '

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		<b>SG27</b>	C	9999999	1	<b>LIN-IMD-MEA-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48</b>
1200	45	<b>IMD</b>	C	99	2	<b>Item description</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
IMD				
7077	Description format code	C an..3	C an..3	<a href="#">List of valid codes</a> <b>X</b> Semi-structured (code + text)
C272	Item characteristic	C	C	
7081	Item characteristic code	C an..3	C an..3	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C273	Item description	C	C	
7009	Item description code	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7008	Item description	C an..256	C an..256	
7008	Item description	C an..256	N	
3453	Language name code	C an..3	N	
7383	Surface or layer code	C an..3	N	

**Segment Remarks:****General Notes**

Message examples:

IMD+X+1+:::Freight'

**Example:**

IMD+X+1+:::Freight'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		<b>SG27</b>	C	9999999	1	<b>LIN-IMD-MEA-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48</b>
1210	46	<b>MEA</b>	C	5	2	<b>Measurements</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MEA				
6311	Measurement purpose code qualifier	M an..3	M an..3	<a href="#">List of valid codes</a> <b>WT</b> Weights
C502	Measurement details	C	C	
6313	Measured attribute code	C an..3	C an..3	<a href="#">List of valid codes</a> <b>AAD</b> Consignment gross weight
6321	Measurement significance code	C an..3	N	
6155	Non-discrete measurement name code	C an..17	N	
6154	Non-discrete measurement name	C an..70	N	
C174	Value/range	C	C	
6411	Measurement unit code	M an..8	M an..8	<a href="#">List of valid codes</a> <b>KGM</b> kilogram
6314	Measure	C an..18	C an..18	
6162	Range minimum quantity	C n..18	N	
6152	Range maximum quantity	C n..18	N	
6432	Significant digits quantity	C n..2	N	
7383	Surface or layer code	C an..3	N	

**Segment Remarks:****General Notes**

Consignment Gross weight

Message examples:

MEA+WT+AAD+KGM:259'

**Example:**

MEA+WT+AAD+KGM:100'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		<b>SG27</b>	C	9999999	1	<b>LIN-IMD-MEA-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48</b>
1210	47	<b>MEA</b>	C	5	2	<b>Measurements</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MEA				
6311	Measurement purpose code qualifier	M an..3	M an..3	<a href="#">List of valid codes</a> <b>WT</b> Weights
C502	Measurement details	C	C	
6313	Measured attribute code	C an..3	C an..3	<a href="#">List of valid codes</a> <b>ACG</b> Chargeable weight
6321	Measurement significance code	C an..3	N	
6155	Non-discrete measurement name code	C an..17	N	
6154	Non-discrete measurement name	C an..70	N	
C174	Value/range	C	C	
6411	Measurement unit code	M an..8	M an..8	<a href="#">List of valid codes</a> <b>KGM</b> kilogram
6314	Measure	C an..18	C an..18	
6162	Range minimum quantity	C n..18	N	
6152	Range maximum quantity	C n..18	N	
6432	Significant digits quantity	C n..2	N	
7383	Surface or layer code	C an..3	N	

**Segment Remarks:****General Notes**

Chargeable weight

Message examples:

MEA+WT+ACG+KGM:240'

**Example:**

MEA+WT+ACG+KGM:100'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		<b>SG27</b>	C	9999999	1	<b>LIN-IMD-MEA-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48</b>
1210	48	<b>MEA</b>	C	5	2	<b>Measurements</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MEA				
6311	Measurement purpose code qualifier	M an..3	M an..3	<a href="#">List of valid codes</a> <b>VOL</b> Volume
C502	Measurement details	C	N	
6313	Measured attribute code	C an..3	N	
6321	Measurement significance code	C an..3	N	
6155	Non-discrete measurement name code	C an..17	N	
6154	Non-discrete measurement name	C an..70	N	
C174	Value/range	C	C	
6411	Measurement unit code	M an..8	M an..8	<a href="#">List of valid codes</a> <b>MTQ</b> cubic metre
6314	Measure	C an..18	C an..18	
6162	Range minimum quantity	C n..18	N	
6152	Range maximum quantity	C n..18	N	
6432	Significant digits quantity	C n..2	N	
7383	Surface or layer code	C an..3	N	

**Segment Remarks:****General Notes**

Volume

Message examples:

MEA+VOL++MTQ:12.096'

**Example:**

MEA+VOL++MTQ:23'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		<b>SG27</b>	C	9999999	1	<b>LIN-IMD-MEA-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48</b>
1210	49	<b>MEA</b>	C	5	2	<b>Measurements</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MEA				
6311	Measurement purpose code qualifier	M an..3	M an..3	<a href="#">List of valid codes</a> <b>LMT</b> Loading meters
C502	Measurement details	C	N	
6313	Measured attribute code	C an..3	N	
6321	Measurement significance code	C an..3	N	
6155	Non-discrete measurement name code	C an..17	N	
6154	Non-discrete measurement name	C an..70	N	
C174	Value/range	C	C	
6411	Measurement unit code	M an..8	M an..8	<a href="#">List of valid codes</a> <b>MTR</b> metre
6314	Measure	C an..18	C an..18	
6162	Range minimum quantity	C n..18	N	
6152	Range maximum quantity	C n..18	N	
6432	Significant digits quantity	C n..2	N	
7383	Surface or layer code	C an..3	N	

**Segment Remarks:****General Notes**

Loading meters

Message examples:

MEA+LMT++MTR:4.8'

**Example:**

MEA+LMT++MTR:2'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		<b>SG27</b>	C	9999999	1	<b>LIN-IMD-MEA-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48</b>
1250	50	<b>DTM</b>	C	35	2	<b>Date/time/period</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	<p><b>List of valid codes</b></p> <p><b>2</b> Delivery date/time, requested</p> <p><b>10</b> Shipment date/time, requested</p> <p><b>17</b> Delivery date/time, estimated</p> <p><b>35</b> Delivery date/time, actual</p> <p><b>65</b> Delivery date/time, 1st schedule</p> <p><b>178</b> Transport means arrival date time, actual</p> <p><b>186</b> Transport means departure date/time, actual</p> <p><b>189</b> Transport means departure date/time, scheduled</p> <p><b>232</b> Transport means arrival date/time, scheduled</p> <p><b>234</b> Collection date/time, earliest</p> <p><b>235</b> Collection date/time, latest</p> <p><b>342</b> Consignment loading date time</p> <p><b>478</b> Start date or time, scheduled</p> <p><b>479</b> Completion date or time, scheduled</p> <p><b>200</b> Cargo pick-up date / time</p>
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	<p><b>List of valid codes</b></p> <p><b>203</b> CCYYMMDDHHMM</p>

**Segment Remarks:****General Notes**

Message examples:

DTM+2:202209301500:203'

DTM+10:202209301500:203'

DTM+17:202209301500:203'

DTM+35:202209301500:203'

DTM+65:202209301500:203'

DTM+178:202209301500:203'

DTM+186:202209301500:203'

**Example:**

DTM+2:201804041000:203'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		<b>SG27</b>	C	9999999	1	LIN-IMD-MEA-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48
1290	51	<b>EQD</b>	C	1	2	Equipment details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
EQD				
8053	Equipment type code qualifier	M an..3	M an..3	<b>List of valid codes</b> <b>TE</b> Trailer <b>CN</b> Container
C237	Equipment identification	C	C	
8260	Equipment identifier	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3207	Country identifier	C an..3	N	
C224	Equipment size and type	C	C	
8155	Equipment size and type description code	C an..10	C an..10	<b>List of valid codes</b> <b>14</b> Trailer
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	<b>List of valid codes</b> <b>5</b> ISO (International Organization for Standardization)
8154	Equipment size and type description	C an..35	C an..35	
8077	Equipment supplier code	C an..3	N	
8249	Equipment status code	C an..3	N	
8169	Full or empty indicator code	C an..3	C an..3	
4233	Marking instructions code	C an..3	N	

**Segment Remarks:****General Notes**

Message examples:

EQD+CN++20GP'

EQD+CN+CAXU7290380+20GP'

EQD+CN+CAXU7290380+20GP:22G0:5'

**Example:**

EQD+CN+TCLU8092315+40HC::5:LF40+++8'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used





Counter	No	Tag	St	MaxOcc	Level	Name
1160		<b>SG27</b>	C	9999999	1	<b>LIN-IMD-MEA-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48</b>
1300	52	<b>FTX</b>	C	99	2	<b>Free text</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	<b>List of valid codes</b> <b>AUY</b> Service characteristic <b>OSI</b> Other service information
4453	Free text function code	C an..3	N	
C107	Text reference	C	N	
4441	Free text description code	M an..17	M N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

**Segment Remarks:****Example:**

FTX+AUY+++Service information:X'

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		<b>SG27</b>	C	9999999	1	<b>LIN-IMD-MEA-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48</b>
1300	53	<b>FTX</b>	C	99	2	<b>Free text</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	<a href="#">List of valid codes</a> <b>AAA</b> Goods item description
4453	Free text function code	C an..3	N	
C107	Text reference	C	N	
4441	Free text description code	M an..17	M N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

**Segment Remarks:****General Notes**

2023-11-16: New occurrence of FTX+AAA for GoodsDescription has been added. Only available for Single invoice.

**Example:**

FTX+AAA+++Goods description:X:X:X'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1320		<b>SG28</b>	C	99	2	<b>MOA</b>
1330	54	<b>MOA</b>	M	1	2	<b>Monetary amount</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				<b>List of valid codes</b>
				<b>203</b> Line item amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				<b>List of valid codes</b>
				<b>4</b> Invoicing currency
4405	Status description code	C an..3	N	

**Segment Remarks:****General Notes**

Total Amounts of Line before ALC in invoicing currency

Message examples:

MOA+203:500:EUR:4'

**Example:**

MOA+203:9:EUR:4'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1460		<b>SG31</b>	C	10	2	RFF
1470	55	<b>RFF</b>	M	1	2	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				<b>List of valid codes</b> <b>AAM</b> Waybill number <b>AAO</b> Consignment identifier, consignee assigned <b>AAS</b> Transport contract document identifier <b>ABE</b> Declarant's reference number <b>AFB</b> Cargo manifest number <b>AGE</b> Agent's reference <b>AWH</b> Category of work reference <b>AWM</b> Service category reference <b>BH</b> House bill of lading number <b>CG</b> Consignee's order number <b>CR</b> Customer reference number <b>CRN</b> Transport means journey identifier <b>EXT</b> Customers External Reference Number <b>MB</b> Master bill of lading number <b>OH</b> Current invoice number <b>OR</b> General order number <b>SRN</b> Shipment reference number <b>TIN</b> Transport instruction number <b>ZEX</b> DSV Exchange Rate <b>ZLA</b> DSV Language Code <b>ZUS</b> DSV USD to EUR Exchange Rate
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

**Segment Remarks:****General Notes**

Message examples:

RFF+AAS:6982842384'

RFF+AAM:310651'

RFF+AFB:DSV-12345'

RFF+BH:DSV1234567'

RFF+CRN:321654'

RFF+MB:310651'

RFF+SRN:69828423841234567'

**Example:**

RFF+SRN:123456789'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1460		<b>SG31</b>	C	10	2	<b>RFF</b>
1470	56	<b>RFF</b>	M	1	2	<b>Reference</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				<b>List of valid codes</b>
				<b>CU</b> Consignment identifier, consignor assigned
				<b>ZCU</b> DSV Order reference
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

**Segment Remarks:****General Notes**

Message examples:

RFF+CU:1234567'

**Example:**

RFF+CU:123456789'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1490		<b>SG32</b>	C	10	2	<b>PAC-SG33</b>
1500	57	<b>PAC</b>	M	1	2	<b>Package</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
PAC				
7224	Package quantity	C n..8	C n..8	
C531	Packaging details	C	N	
7075	Packaging level code	C an..3	N	
7233	Packaging related description code	C an..3	N	
7073	Packaging terms and conditions code	C an..3	N	
C202	Package type	C	C	
7065	Package type description code	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7064	Type of packages	C an..35	N	
C402	Package type identification	C	N	
7077	Description format code	M an..3	N	
7064	Type of packages	M an..35	N	
7143	Item type identification code	C an..3	N	
7064	Type of packages	C an..35	N	
7143	Item type identification code	C an..3	N	
C532	Returnable package details	C	N	
8395	Returnable package freight payment responsibility code	C an..3	N	
8393	Returnable package load contents code	C an..3	N	

**Segment Remarks:****General Notes**

Message examples:

PAC+9++PCE'

**Example:**

PAC+9++PCE'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1530		<b>SG33</b>	C	10	3	PCI
1540	58	<b>PCI</b>	M	1	3	Package identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
PCI				
4233	Marking instructions code	C an..3	C an..3	<b>List of valid codes</b> <b>24</b> Shipper assigned
C210	Marks & labels	C	C	
7102	Shipping marks description	M an..35	M an..35	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
8169	Full or empty indicator code	C an..3	N	
C827	Type of marking	C	N	
7511	Marking type code	M an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	

**Segment Remarks:****General Notes**

Message examples:

PCI+24+ref1:ref2:ref3:ref4:ref5:ref6:ref7:ref8:ref9:ref10'

PCI+24+ref1:ref2:ref3'

**Example:**

PCI+24+123456789'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1580		<b>SG34</b>	C	9999	2	LOC
1590	59	<b>LOC</b>	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	<b>List of valid codes</b> <b>8</b> Place of destination
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	<b>List of valid codes</b> <b>3</b> IATA (International Air Transport Association) <b>6</b> UN/ECE (United Nations - Economic Commission for Europe)
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

**Segment Remarks:****General Notes**

Place of Destination

## Message examples:

LOC+8+USLAX::6'

LOC+8+LAX:145:3:LOS ANGELES'

**Example:**

LOC+8+FRMRS::6:MARSEILLE '

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used





Counter	No	Tag	St	MaxOcc	Level	Name
1580		<b>SG34</b>	C	9999	2	LOC
1590	60	<b>LOC</b>	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	<b>List of valid codes</b> <b>5</b> Place of departure
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	<b>List of valid codes</b> <b>3</b> IATA (International Air Transport Association) <b>6</b> UN/ECE (United Nations - Economic Commission for Europe)
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

**Segment Remarks:****General Notes**

Place of Departure

Message examples:

LOC+5+DKBLL::6'

**Example:**

LOC+5+DKCPH:::COPENHAGEN'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1580		<b>SG34</b>	C	9999	2	LOC
1590	61	<b>LOC</b>	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	<b>List of valid codes</b> <b>9</b> Place of loading
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	<b>List of valid codes</b> <b>3</b> IATA (International Air Transport Association) <b>6</b> UN/ECE (United Nations - Economic Commission for Europe)
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

**Segment Remarks:****General Notes**

Place of Loading

**Message examples:**

LOC+9+KHKOS::6:SIHANOUKVILLE+KOS::3+40958::112'

**Example:**

LOC+9+DKHOR:::HORSENS+HOR:::3+40914'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1580		<b>SG34</b>	C	9999	2	LOC
1590	62	<b>LOC</b>	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	<b>List of valid codes</b> <b>11</b> Place of discharge
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	<b>List of valid codes</b> <b>3</b> IATA (International Air Transport Association) <b>6</b> UN/ECE (United Nations - Economic Commission for Europe)
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

**Segment Remarks:****General Notes**

Place of Unloading/Discharge

Message examples:

LOC+11+SGSIN:::SINGAPORE'

**Example:**

LOC+11+FRMRS:::MARSEILLE+MRS:::3+42782'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1620		<b>SG35</b>	C	99	2	<b>TAX-MOA</b>
1630	63	<b>TAX</b>	M	1	2	<b>Duty/tax/fee details</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TAX				
5283	Duty or tax or fee function code qualifier	M an..3	M an..3	<b>List of valid codes</b> <b>7</b> Tax
C241	Duty/tax/fee type	C	C	
5153	Duty or tax or fee type name code	C an..3	C an..3	<b>General Notes</b> Maybe all taxes can be used by Air / Sea  <b>List of valid codes</b> <b>VAT</b> Value added tax
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5152	Duty or tax or fee type name	C an..35	N	
C533	Duty/tax/fee account detail	C	N	
5289	Duty or tax or fee account code	M an..6	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5286	Duty or tax or fee assessment basis quantity	C an..15	N	
C243	Duty/tax/fee detail	C	C	
5279	Duty or tax or fee rate code	C an..7	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5278	Duty or tax or fee rate	C an..17	C an..17	
5273	Duty or tax or fee rate basis code	C an..12	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5305	Duty or tax or fee category code	C an..3	C an..3	<b>List of valid codes</b> <b>E</b> Exempt from tax <b>S</b> Standard rate <b>Z</b> Zero rated goods
3446	Party tax identifier	C an..20	N	
1227	Calculation sequence code	C an..3	N	
5307	Tax or duty or fee payment due date code	C an..3	N	

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



**Segment Remarks:**

**General Notes**

Message examples:

TAX+7+VAT+++:::25.00+S'

**Example:**

TAX+7+VAT+++:::25.00+S'

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1620		<b>SG35</b>	C	99	2	<b>TAX-MOA</b>
1640	64	<b>MOA</b>	C	2	3	<b>Monetary amount</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				<b>List of valid codes</b>
				<b>124</b> Tax amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				<b>List of valid codes</b>
				<b>4</b> Invoicing currency
4405	Status description code	C an..3	N	

**Segment Remarks:****General Notes**

LineTaxAmount in invoicing currency

Message examples:

MOA+124:500:EUR:4'

**Example:**

MOA+124:99.99:EUR:4'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1660		<b>SG36</b>	C	99	2	<b>NAD</b>
1670	65	<b>NAD</b>	M	1	2	<b>Name and address</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
NAD				
3035	Party function code qualifier	M an..3	M an..3	<b>List of valid codes</b> <b>CN</b> Consignee <b>CZ</b> Consignor <b>DP</b> Delivery party <b>PW</b> Despatch party
C082	Party identification details	C	C	
3039	Party identifier	M an..35	M an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C058	Name and address	C	N	
3124	Name and address description	M an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
C080	Party name	C	C	
3036	Party name	M an..70	M an..70	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3045	Party name format code	C an..3	N	
C059	Street	C	C	
3042	Street and number or post office box identifier	M an..35	M an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	N	
3164	City name	C an..35	C an..35	
C819	Country subdivision details	C	N	
3229	Country subdivision identifier	C an..9	C an..9	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3228	Country subdivision name	C an..70	N	
3251	Postal identification code	C an..17	C an..17	
3207	Country identifier	C an..3	C an..3	

**Segment Remarks:**

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



General Notes

Message examples:  
NAD+CN+123456789::91++Consignee+West street 10+CITY++134408+XX'  
NAD+CZ+987654321::87++Consignor+East street 5+CITY++12345+XX'  
NAD+DP+123456789::91++Delivery party+North street 4+CITY++134408+XX'  
NAD+PW+987654321::87++Pickup party+South street 2+CITY++12345+XX'

Example:

NAD+CN+123456789++Consignor+North street:Warehouse 2+PARIS++8260+FR'





Counter	No	Tag	St	MaxOcc	Level	Name
1790		<b>SG40</b>	C	30	2	<b>ALC-SG43-SG44-SG45</b>
1800	66	<b>ALC</b>	M	1	2	<b>Allowance or charge</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
ALC				
5463	Allowance or charge code qualifier	M an..3	M an..3	<b>List of valid codes</b> <b>A</b> Allowance <b>C</b> Charge
C552	Allowance/charge information	C	C	
1230	Allowance or charge identifier	C an..35	C an..35	
5189	Allowance or charge identification code	C an..3	N	
4471	Settlement means code	C an..3	N	
1227	Calculation sequence code	C an..3	N	
C214	Special services identification	C	C	
7161	Special service description code	C an..3	C an..3	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7160	Special service description	C an..35	C an..35	
7160	Special service description	C an..35	N	

**Segment Remarks:****General Notes**

Message examples:

ALC+A+0112:+++FRT:::Freight'

ALC+C+0112:+++FRT:::Freight'

**Example:**

ALC+A+0112+++FRT:::Freight'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1900		<b>SG43</b>	C	2	3	<b>MOA-CUX</b>
1910	67	<b>MOA</b>	M	1	3	<b>Monetary amount</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				<b>List of valid codes</b>
				<b>8</b> Allowance or charge amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				<b>List of valid codes</b>
				<b>4</b> Invoicing currency
4405	Status description code	C an..3	N	

**Segment Remarks:****General Notes**

Amount excl tax in invoicing currency.

Message examples:

MOA+8:500:EUR:4'

**Example:**

MOA+8:1000:EUR:4'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1900		<b>SG43</b>	C	2	3	<b>MOA-CUX</b>
1930	68	<b>CUX</b>	C	1	4	<b>Currencies</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CUX				
C504	Currency details	C	C	
6347	Currency usage code qualifier	M an..3	M an..3	
				<b>List of valid codes</b>
				<b>2</b> Reference currency
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				<b>List of valid codes</b>
				<b>4</b> Invoicing currency
6348	Currency rate	C n..4	N	
C504	Currency details	C	C	
6347	Currency usage code qualifier	M an..3	M an..3	
				<b>List of valid codes</b>
				<b>3</b> Target currency
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				<b>List of valid codes</b>
				<b>3</b> Home currency
6348	Currency rate	C n..4	N	
5402	Currency exchange rate	C n..12	C n..12	
6341	Exchange rate currency market identifier	C an..3	N	

**Segment Remarks:****General Notes**

Message examples:

CUX+2:DKK:10+3:EUR:11+0.75'

**Example:**

CUX+2:EUR:4+3:SEK:3+0.80'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1900		<b>SG43</b>	C	2	3	<b>MOA</b>
1910	69	<b>MOA</b>	M	1	3	<b>Monetary amount</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				<b>List of valid codes</b>
				<b>27</b> Charges in destination currency
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				<b>List of valid codes</b>
				<b>3</b> Home currency
4405	Status description code	C an..3	N	

**Segment Remarks:****General Notes**

Local amount excl tax in home currency.

Message examples:

MOA+27:500:EUR:4'

**Example:**

MOA+27:1000:EUR:3'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1950		<b>SG44</b>	C	1	3	RTE
1960	70	<b>RTE</b>	M	1	3	Rate details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RTE				
C128	Rate details	M	M	
5419	Rate type code qualifier	M an..3	M an..3	
				<b>List of valid codes</b>
				<b>ZSX</b> SystemExchangeRate (DSV defined code)
5420	Unit price basis rate	M n..15	M n..15	
5284	Unit price basis quantity	C n..9	N	
6411	Measurement unit code	C an..8	N	
4405	Status description code	C an..3	N	

**Segment Remarks:****General Notes**

SystemExchange rate

Message examples:

RTE+ZSX:0.8'

**Example:**

RTE+ZSX:0.8'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1980		<b>SG45</b>	C	5	3	<b>TAX-MOA</b>
1990	71	<b>TAX</b>	M	1	3	<b>Duty/tax/fee details</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TAX				
5283	Duty or tax or fee function code qualifier	M an..3	M an..3	<b>List of valid codes</b> <b>7</b> Tax <b>9</b> Tax related information
C241	Duty/tax/fee type	C	C	
5153	Duty or tax or fee type name code	C an..3	C an..3	<b>List of valid codes</b> <b>VAT</b> Value added tax
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5152	Duty or tax or fee type name	C an..35	C an..35	
C533	Duty/tax/fee account detail	C	N	
5289	Duty or tax or fee account code	M an..6	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5286	Duty or tax or fee assessment basis quantity	C an..15	C an..15	
C243	Duty/tax/fee detail	C	C	
5279	Duty or tax or fee rate code	C an..7	C an..7	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5278	Duty or tax or fee rate	C an..17	C an..17	
5273	Duty or tax or fee rate basis code	C an..12	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5305	Duty or tax or fee category code	C an..3	C an..3	<b>List of valid codes</b> <b>S</b> Standard rate <b>Z</b> Zero rated goods
3446	Party tax identifier	C an..20	N	
1227	Calculation sequence code	C an..3	N	
5307	Tax or duty or fee payment due date code	C an..3	N	

**Segment Remarks:**

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



**General Notes**

Message examples:

TAX+7+VAT+++:::25.00+S'

**Example:**

TAX+7+VAT:::250++DICH.INT+X:::25+S'

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1980		<b>SG45</b>	C	5	3	<b>TAX-MOA</b>
2000	72	<b>MOA</b>	C	2	4	<b>Monetary amount</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				<b>List of valid codes</b>
				<b>124</b> Tax amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				<b>List of valid codes</b>
				<b>4</b> Invoicing currency
4405	Status description code	C an..3	N	

**Segment Remarks:****General Notes**

TaxAmount in invoicing currency.

Message examples:

MOA+124:500:EUR:4'

**Example:**

MOA+124:250:EUR:4'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used





Counter	No	Tag	St	MaxOcc	Level	Name
1980		SG45	C	5	3	TAX-MOA
2000	73	MOA	C	2	4	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	<a href="#">List of valid codes</a> <b>124</b> Tax amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	<a href="#">List of valid codes</a> <b>3</b> Home currency
4405	Status description code	C an..3	N	

Segment Remarks:

General Notes

TaxAmount in home currency.

Message examples:

MOA+124:500:EUR:3'

Example:

MOA+124:250:EUR:3'

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2010		<b>SG46</b>	C	10	2	<b>TDT-SG47</b>
2020	74	<b>TDT</b>	M	1	2	<b>Transport information</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TDT				
8051	Transport stage code qualifier	M an..3	M an..3	<b>List of valid codes</b> <b>20</b> Main-carriage transport
8028	Means of transport journey identifier	C an..17	C an..17	
C220	Mode of transport	C	C	
8067	Transport mode name code	C an..3	C an..3	<b>List of valid codes</b> <b>1</b> Maritime transport <b>3</b> Road transport <b>4</b> Air transport
8066	Transport mode name	C an..17	N	
C001	Transport means	C	C	
8179	Transport means description code	C an..8	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8178	Transport means description	C an..17	C an..17	
C040	Carrier	C	C	
3127	Carrier identifier	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3126	Carrier name	C an..35	C an..35	
8101	Transit direction indicator code	C an..3	N	
C401	Excess transportation information	C	N	
8457	Excess transportation reason code	M an..3	N	
8459	Excess transportation responsibility code	M an..3	N	
7130	Customer shipment authorisation identifier	C an..17	N	
C222	Transport identification	C	C	
8213	Transport means identification name identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8212	Transport means identification name	C an..70	C an..70	

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
8453	Transport means nationality code	C an..3	N	
8281	Transport means ownership indicator code	C an..3	N	

**Segment Remarks:****General Notes**

Message examples:

TDT+20+Sea+1+:::LH320+:::Shipping line+++:::Vessel:US'

TDT+20++3'

TDT+20+Air+4+:::014W+:::Airline'

**Example:**

TDT+20+Air+4+:::LH320+LFH:::LUFTHANSA+++:::LUFTHANSA'

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2030		<b>SG47</b>	C	10	3	LOC
2040	75	<b>LOC</b>	M	1	3	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	<b>List of valid codes</b> <b>8</b> Place of destination
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	<b>List of valid codes</b> <b>3</b> IATA (International Air Transport Association) <b>6</b> UN/ECE (United Nations - Economic Commission for Europe)
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

**Segment Remarks:****General Notes**

Place of Destination

Message examples:

LOC+8+USLAX::6'

LOC+8+LAX:145:3:LOS ANGELES'

**Example:**

LOC+8+FRMRS::6:MARSEILLE '

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2030		<b>SG47</b>	C	10	3	LOC
2040	76	<b>LOC</b>	M	1	3	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	<b>List of valid codes</b> <b>9</b> Place of loading
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	<b>List of valid codes</b> <b>3</b> IATA (International Air Transport Association) <b>6</b> UN/ECE (United Nations - Economic Commission for Europe)
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

**Segment Remarks:****General Notes**

Place of Loading

Message examples:

LOC+9+KHKOS::6:SIHANOUKVILLE+KOS::3+40958::112'

**Example:**

LOC+9+DKCPH:::COPENHAGEN'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2030		<b>SG47</b>	C	10	3	LOC
2040	77	<b>LOC</b>	M	1	3	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	<b>List of valid codes</b> <b>5</b> Place of departure
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	<b>List of valid codes</b> <b>3</b> IATA (International Air Transport Association) <b>6</b> UN/ECE (United Nations - Economic Commission for Europe)
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

**Segment Remarks:****General Notes**

Place of Departure

**Message examples:**

LOC+5+DKBLL::6'

LOC+5+DKCPH:::COPENHAGEN'

**Example:**

LOC+5+DKCPH:::COPENHAGEN'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2030		<b>SG47</b>	C	10	3	LOC
2040	78	<b>LOC</b>	M	1	3	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	<b>List of valid codes</b> <b>11</b> Place of discharge
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	<b>List of valid codes</b> <b>3</b> IATA (International Air Transport Association) <b>6</b> UN/ECE (United Nations - Economic Commission for Europe)
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

**Segment Remarks:****General Notes**

Place of Unloading/Discharge

Message examples:

LOC+11+SGSIN:::SINGAPORE'

**Example:**

LOC+11+FRMRS:::MARSEILLE+MRS:::3+42782'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2060		<b>SG48</b>	C	5	2	<b>TOD-LOC</b>
2070	79	<b>TOD</b>	M	1	2	<b>Terms of delivery or transport</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TOD				
4055	Delivery or transport terms function code	C an..3	C an..3	<b>List of valid codes</b> <b>6</b> Delivery condition
4215	Transport charges payment method code	C an..3	C an..3	
C100	Terms of delivery or transport	C	C	
4053	Delivery or transport terms description code	C an..3	C an..3	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	N	
4052	Delivery or transport terms description	C an..70	N	
4052	Delivery or transport terms description	C an..70	N	

**Segment Remarks:****General Notes**

Message examples:

TOD+++EXW'

TOD+++022:ZCT'

**Example:**

TOD+6+++EXW: INCOTERMS'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used





Counter	No	Tag	St	MaxOcc	Level	Name
2060		<b>SG48</b>	C	5	2	<b>TOD-LOC</b>
2080	80	<b>LOC</b>	C	2	3	<b>Place/location identification</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	<a href="#">List of valid codes</a> <b>1</b> Place of terms of delivery
C517	Location identification	C	C	
3225	Location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

**Segment Remarks:****General Notes**

Message examples:

LOC+1+DKHOR::6:Horsens'

**Example:**

LOC+1+:::Frankfurt am Main'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2320	81	<b>UNS</b>	M	1	0	Section control

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNS				
0081	Section identification	M a1	M a1	

**Segment Remarks:****General Notes**

Message examples:

UNS+S'

**Example:**

UNS+S'

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2340		<b>SG52</b>	M	100	1	<b>MOA</b>
2350	82	<b>MOA</b>	M	1	1	<b>Monetary amount</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				<b>List of valid codes</b>
				<b>128</b> Total amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				<b>List of valid codes</b>
				<b>4</b> Invoicing currency
4405	Status description code	C an..3	N	

**Segment Remarks:****General Notes**

Total amount incl tax in invoicing currency.

Message examples:

MOA+128:500:EUR:4'

**Example:**

MOA+128:2000:EUR:4'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2340		<b>SG52</b>	M	100	1	<b>MOA</b>
2350	83	<b>MOA</b>	M	1	1	<b>Monetary amount</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				<b>List of valid codes</b>
				<b>128</b> Total amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				<b>List of valid codes</b>
				<b>3</b> Home currency
4405	Status description code	C an..3	N	

**Segment Remarks:****General Notes**

Total amount incl tax in home currency.

Message examples:

MOA+124:500:EUR:3'

**Example:**

MOA+128:2000:EUR:3'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2340		<b>SG52</b>	M	100	1	<b>MOA</b>
2350	84	<b>MOA</b>	M	1	1	<b>Monetary amount</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				<b>List of valid codes</b>
				<b>125</b> Taxable amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				<b>List of valid codes</b>
				<b>4</b> Invoicing currency
4405	Status description code	C an..3	N	

**Segment Remarks:****General Notes**

Total amount excl tax in invoicing currency.

Message examples:

MOA+125:500:EUR:4'

**Example:**

MOA+125:1250:EUR:4'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2340		<b>SG52</b>	M	100	1	<b>MOA</b>
2350	85	<b>MOA</b>	M	1	1	<b>Monetary amount</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				<b>List of valid codes</b>
				<b>125</b> Taxable amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				<b>List of valid codes</b>
				<b>3</b> Home currency
4405	Status description code	C an..3	N	

**Segment Remarks:****General Notes**

Total amount excl tax in home currency.

Message examples:

MOA+125:500:EUR:3'

**Example:**

MOA+125:1250:EUR:3'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2340		<b>SG52</b>	M	100	1	<b>MOA</b>
2350	86	<b>MOA</b>	M	1	1	<b>Monetary amount</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				<b>List of valid codes</b>
				<b>176</b> Message total duty/tax/fee amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				<b>List of valid codes</b>
				<b>4</b> Invoicing currency
4405	Status description code	C an..3	N	

**Segment Remarks:****General Notes**

Total tax amount in invoicing currency.

Message examples:

MOA+176:500:EUR:4'

**Example:**

MOA+176:5000:EUR:4'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2340		<b>SG52</b>	M	100	1	<b>MOA</b>
2350	87	<b>MOA</b>	M	1	1	<b>Monetary amount</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				<a href="#">List of valid codes</a>
				<b>176</b> Message total duty/tax/fee amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				<a href="#">List of valid codes</a>
				<b>3</b> Home currency
4405	Status description code	C an..3	N	

**Segment Remarks:****General Notes**

Total tax amount in home currency.

Message examples:

MOA+176:500:EUR:3'

**Example:**

MOA+176:5000:EUR:3'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status  
 EDIFACT: M=Mandatory, C=Conditional  
 User specific: R=Required, O=Optional, D=Dependent,  
 A=Advised, N=Not used





Counter	No	Tag	St	MaxOcc	Level	Name
2390		<b>SG54</b>	C	10	1	<b>TAX-MOA</b>
		<b>General Notes</b> v1.4 1nd occurrence of SG54 TAX is for Invoice currency				
2400	88	<b>TAX</b>	M	1	1	<b>Duty/tax/fee details</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TAX				
5283	Duty or tax or fee function code qualifier	M an..3	M an..3	<b>List of valid codes</b> <b>7</b> Tax
C241	Duty/tax/fee type	C	C	
5153	Duty or tax or fee type name code	C an..3	C an..3	<b>List of valid codes</b> <b>VAT</b> Value added tax
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5152	Duty or tax or fee type name	C an..35	N	
C533	Duty/tax/fee account detail	C	N	
5289	Duty or tax or fee account code	M an..6	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5286	Duty or tax or fee assessment basis quantity	C an..15	N	
C243	Duty/tax/fee detail	C	C	
5279	Duty or tax or fee rate code	C an..7	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5278	Duty or tax or fee rate	C an..17	C an..17	
5273	Duty or tax or fee rate basis code	C an..12	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5305	Duty or tax or fee category code	C an..3	C an..3	<b>List of valid codes</b> <b>A</b> Mixed tax rate <b>AE</b> VAT Reverse Charge <b>E</b> Exempt from tax <b>S</b> Standard rate
3446	Party tax identifier	C an..20	N	

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
1227	Calculation sequence code	C an..3	N	
5307	Tax or duty or fee payment due date code	C an..3	N	

**Segment Remarks:**

**General Notes**

Message examples:

TAX+7+VAT+++:::25.00+S'

**Example:**

TAX+7+VAT+++:::25+S'

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2390		<b>SG54</b>	C	10	1	<b>TAX-MOA</b>
		<b>General Notes</b> v1.4 1st occurrence of SG54 TAX is for Invoice currency				
2410	89	<b>MOA</b>	C	9	2	<b>Monetary amount</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				<b>List of valid codes</b> <b>176</b> Message total duty/tax/fee amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				<b>List of valid codes</b> <b>4</b> Invoicing currency
4405	Status description code	C an..3	N	

**Segment Remarks:****General Notes**

Accumulated total taxamount in invoicing currency.

Message examples:

MOA+176:500:EUR:4'

**Example:**

MOA+176:5000:EUR:4'

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2390		<b>SG54</b>	C	10	1	<b>TAX-MOA</b>
		<b>General Notes</b> v1.4 1st occurrence of SG54 TAX is for Invoice currency				
2410	90	<b>MOA</b>	C	9	2	<b>Monetary amount</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				<b>List of valid codes</b> <b>125</b> Taxable amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				<b>List of valid codes</b> <b>4</b> Invoicing currency
4405	Status description code	C an..3	N	

**Segment Remarks:****General Notes**

Accumulated total taxable amount in invoicing currency.

Message examples:

MOA+125:500:EUR:4'

**Example:**

MOA+125:5000:EUR:4'

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2390		<b>SG54</b>	C	10	1	<b>TAX-MOA</b>
		<b>General Notes</b> v1.4 2nd occurrence of SG54 TAX is for Home/Local currency				
2400	91	<b>TAX</b>	M	1	1	<b>Duty/tax/fee details</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TAX				
5283	Duty or tax or fee function code qualifier	M an..3	M an..3	<b>List of valid codes</b> <b>9</b> Tax related information
C241	Duty/tax/fee type	C	C	
5153	Duty or tax or fee type name code	C an..3	C an..3	<b>List of valid codes</b> <b>VAT</b> Value added tax
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5152	Duty or tax or fee type name	C an..35	N	
C533	Duty/tax/fee account detail	C	N	
5289	Duty or tax or fee account code	M an..6	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5286	Duty or tax or fee assessment basis quantity	C an..15	N	
C243	Duty/tax/fee detail	C	C	
5279	Duty or tax or fee rate code	C an..7	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5278	Duty or tax or fee rate	C an..17	C an..17	
5273	Duty or tax or fee rate basis code	C an..12	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5305	Duty or tax or fee category code	C an..3	C an..3	<b>List of valid codes</b> <b>A</b> Mixed tax rate <b>AE</b> VAT Reverse Charge <b>E</b> Exempt from tax <b>S</b> Standard rate
3446	Party tax identifier	C an..20	N	

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
1227	Calculation sequence code	C an..3	N	
5307	Tax or duty or fee payment due date code	C an..3	N	

**Segment Remarks:**

**General Notes**

Message examples:

TAX+9+VAT+++:::25.00+S'

**Example:**

TAX+9+VAT+++:::25+S'

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2390		<b>SG54</b>	C	10	1	<b>TAX-MOA</b>
		<b>General Notes</b> v1.4 2nd occurrence of SG54 TAX is for Home/Local currency				
2410	92	<b>MOA</b>	C	9	2	<b>Monetary amount</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				<b>List of valid codes</b> <b>176</b> Message total duty/tax/fee amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				<b>List of valid codes</b> <b>3</b> Home currency
4405	Status description code	C an..3	N	

**Segment Remarks:****General Notes**

Accumulated total tax amount in home currency.

Message examples:

MOA+176:500:EUR:3'

**Example:**

MOA+176:5000:EUR:3'

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2390		<b>SG54</b>	C	10	1	<b>TAX-MOA</b>
		<b>General Notes</b> v1.4 2nd occurrence of SG54 TAX is for Home/Local currency				
2410	93	<b>MOA</b>	C	9	2	<b>Monetary amount</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				<b>List of valid codes</b> <b>125</b> Taxable amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				<b>List of valid codes</b> <b>3</b> Home currency
4405	Status description code	C an..3	N	

**Segment Remarks:****General Notes**

Accumulated total taxable amount in home currency.

Message examples:

MOA+125:500:EUR:3'

**Example:**

MOA+125:5000:EUR:3'

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used





Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

2470	94	<b>UNT</b>	M	1	0	Message trailer
------	----	------------	---	---	---	-----------------

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNT				
0074	Number of segments in a message	M n..10	M n..10	
0062	Message reference number	M an..14	M an..14	

**Segment Remarks:**

**General Notes**

Message examples:  
UNT+91+123456'

**Example:**

UNT+91+123456'

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status  
EDIFACT: M=Mandatory, C=Conditional  
User specific: R=Required, O=Optional, D=Dependent,  
A=Advised, N=Not used



## Example Message

No	Tag	Example
01	UNA	UNA:+.? '
02	UNB	UNB+UNOC:4+5790000834129:ZZZ+PartnerId:ZZZ+20221220:1500+00000000012345+++++1'
03	UNH	UNH+123456+INVOIC:D:10B:UN'
04	BGM	BGM+380+DK456654+9'
05	DTM	DTM+137:201804040800:203'
06	DTM	DTM+3:201804121600:203'
07	FTX	FTX+ADU+++Note'
08	FTX	FTX+DCL+++Document issuer declaration:X:X:X:X'
09	LOC	LOC+183+I382:::DKHOR'
SG1		
10	RFF	RFF+AAM:1223559'
SG1		
11	RFF	RFF+CU:1223559'
SG1		
12	RFF	RFF+PQ:309863385000006298123'
SG2		
13	NAD	NAD+II+987654321::9++Invoice issuer+East street 20:2nd address:X+HEDE HUSENE++2630+DK'
14	FII	FII+II+SE 19 9500 0099 6034 0872 0708:DSV Air & Sea AB+NDEASESS::17:3408720708:::9960:NORDEA BANK AB'
SG3		
15	RFF	RFF+VA:VATNumber'
SG4		
16	DOC	DOC+385'
SG5		
17	CTA	CTA+AR+:Invoice issuer'
18	COM	COM+010-4455663388:TE'
19	COM	COM+abc@xx.dsv.com:EM'
SG2		
20	NAD	NAD+IV+123456789::9++Company +West street 12B:Warehouse 8:150+COPENHA GEN++1610+DK'
SG3		
21	RFF	RFF+VA:VATNumber'
SG5		
22	CTA	CTA+AP+:Invoicee'

No = Consecutive segment number



No	Tag	Example
23	COM	COM+010-4455663388:TE'
24	COM	COM+abc@xx.dsv.com:EM'
	SG7	
25	CUX	CUX+2:DKK:10+3:EUR:11+1'
26	DTM	DTM+134:20181102:102'
	SG8	
27	PYT	PYT+3+:::Desc. of terms+++D+45'
28	DTM	DTM+13:20180531:102'
	SG9	
29	TDT	TDT+20+Air+1+:::LH320+6403864782:::LUFTHANSA+++:::LUFTHANSA'
30	TSR	TSR++2+1'
	SG10	
31	LOC	LOC+9+DEFRA:::Frankfurt am Main+X::3+X'
32	DTM	DTM+186:201812131000:203'
	SG10	
33	LOC	LOC+8+DEFRA:::Frankfurt am Main'
34	DTM	DTM+132:201812131000:203'
	SG10	
35	LOC	LOC+5+DEFRA:::Frankfurt am Main'
36	DTM	DTM+136:201812131000:203'
	SG10	
37	LOC	LOC+11+DEFRA:::Frankfurt am Main+X+X'
38	DTM	DTM+232:201812131000:203'
	SG11	
39	RFF	RFF+MB:123456789'
	SG12	
40	TOD	TOD+6++EXW:INCOTERMS'
41	LOC	LOC+1+:::Frankfurt am Main'
	SG13	
42	EQD	EQD+CN+TCLU229803+40HC:::45GO+++8'
43	SEL	SEL+DSV123'
	SG27	
44	LIN	LIN+1++BOGO3-Z3362'
45	IMD	IMD+X+1+:::Freight'
46	MEA	MEA+WT+AAD+KGM:100'
47	MEA	MEA+WT+ACG+KGM:100'

No = Consecutive segment number



No	Tag	Example
48	MEA	MEA+VOL++MTQ:23'
49	MEA	MEA+LMT++MTR:2'
50	DTM	DTM+2:201804041000:203'
51	EQD	EQD+CN+TCLU8092315+40HC::5:LF40+++8'
52	FTX	FTX+AUYYYY+Service information:X'
53	FTX	FTX+AAA+++Goods description:X:X:X:X'
	<b>SG28</b>	
54	MOA	MOA+203:9:EUR:4'
	<b>SG31</b>	
55	RFF	RFF+SRN:123456789'
	<b>SG31</b>	
56	RFF	RFF+CU:123456789'
	<b>SG32</b>	
57	PAC	PAC+9++PCE'
	<b>SG33</b>	
58	PCI	PCI+24+123456789'
	<b>SG34</b>	
59	LOC	LOC+8+FRMRS::6:MARSEILLE'
	<b>SG34</b>	
60	LOC	LOC+5+DKCPH:::COPENHAGEN'
	<b>SG34</b>	
61	LOC	LOC+9+DKHOR:::HORSENS+HOR::3+40914'
	<b>SG34</b>	
62	LOC	LOC+11+FRMRS:::MARSEILLE+MRS::3+42782'
	<b>SG35</b>	
63	TAX	TAX+7+VAT+++:::25.00+S'
64	MOA	MOA+124:99.99:EUR:4'
	<b>SG36</b>	
65	NAD	NAD+CN+123456789++Consignor+North street:Warehouse 2+PARIS++8260+FR'
	<b>SG40</b>	
66	ALC	ALC+A+0112+++FRT:::Freight'
	<b>SG43</b>	
67	MOA	MOA+8:1000:EUR:4'
68	CUX	CUX+2:EUR:4+3:SEK:3+0.80'
	<b>SG43</b>	
69	MOA	MOA+27:1000:EUR:3'

No = Consecutive segment number



No	Tag	Example
	<b>SG44</b>	
70	<b>RTE</b>	RTE+ZSX:0.8'
	<b>SG45</b>	
71	<b>TAX</b>	TAX+7+VAT:::250++DICH.INT+X:::25+S'
72	<b>MOA</b>	MOA+124:250:EUR:4'
73	<b>MOA</b>	MOA+124:250:EUR:3'
	<b>SG46</b>	
74	<b>TDT</b>	TDT+20+Air+4+:::LH320+LFH:::LUFTHANSA+++:::LUFTHANSA'
	<b>SG47</b>	
75	<b>LOC</b>	LOC+8+FRMRS:::6:MARSEILLE'
	<b>SG47</b>	
76	<b>LOC</b>	LOC+9+DKCPH:::COPENHAGEN'
	<b>SG47</b>	
77	<b>LOC</b>	LOC+5+DKCPH:::COPENHAGEN'
	<b>SG47</b>	
78	<b>LOC</b>	LOC+11+FRMRS:::MARSEILLE+MRS:::3+42782'
	<b>SG48</b>	
79	<b>TOD</b>	TOD+6++EXW:INCOTERMS'
80	<b>LOC</b>	LOC+1+:::Frankfurt am Main'
81	<b>UNS</b>	UNS+S'
	<b>SG52</b>	
82	<b>MOA</b>	MOA+128:2000:EUR:4'
	<b>SG52</b>	
83	<b>MOA</b>	MOA+128:2000:EUR:3'
	<b>SG52</b>	
84	<b>MOA</b>	MOA+125:1250:EUR:4'
	<b>SG52</b>	
85	<b>MOA</b>	MOA+125:1250:EUR:3'
	<b>SG52</b>	
86	<b>MOA</b>	MOA+176:5000:EUR:4'
	<b>SG52</b>	
87	<b>MOA</b>	MOA+176:5000:EUR:3'
	<b>SG54</b>	
88	<b>TAX</b>	TAX+7+VAT+++:::25+S'
89	<b>MOA</b>	MOA+176:5000:EUR:4'
90	<b>MOA</b>	MOA+125:5000:EUR:4'

No = Consecutive segment number



No	Tag	Example
SG54		
91	TAX	TAX+9+VAT+++:::25+S'
92	MOA	MOA+176:5000:EUR:3'
93	MOA	MOA+125:5000:EUR:3'
94	UNT	UNT+91+123456'