



Message Implementation Guideline

## **DSV\_ShipmentMessage**

Model: DSV XML SHIPMENT outbound  
Version: v1.4  
Issue date: 2022-12-01  
Author: DSV A/S, EDI



## Change Log

No	Changes	
01	Date (YYYY-MM-DD)	2020-09-28
	Author	DSV A/S, EDI
	CRQ	
	<b>Tag</b>	<b>References</b>
	Path	DSV_ShipmentMessage/Shipment/EquipmentUnits/EquipmentUnit/References
	Change Description	Addition of EquipmentUnit/References for PackingMode and DeliveryMode
02	Date (YYYY-MM-DD)	2020-10-01
	Author	
	CRQ	
	<b>Tag</b>	<b>TransportServices</b>
	Path	DSV_ShipmentMessage/Shipment/TransportServices
	Change Description	20R1 - Schema addition to TransportServices FreeTextData, Dates, Parties and References added
03	Date (YYYY-MM-DD)	2020-10-02
	Author	
	CRQ	
	<b>Tag</b>	<b>Measurements</b>
	Path	DSV_ShipmentMessage/Shipment/EquipmentUnits/EquipmentUnit/Measurements
	Change Description	EquipmentUnit/Measurements added
04	Date (YYYY-MM-DD)	2022-05-11
	Author	DSV A/S, EDI
	CRQ	
	<b>Tag</b>	<b>Shipment</b>
	Path	DSV_ShipmentMessage/Shipment
	Change Description	Various Date and Reference Types enabled

## Structure

Occurrence	Element/Attribute
	<b>DSV_ShipmentMessage</b>
1 .. 1	xs:sequence
1 .. 1	<b>Header</b>
1 .. 1	xs:sequence
1 .. 1	<b>MessageId</b>
1 .. 1	<b>SenderId</b>
1 .. 1	<b>ReceiverId</b>
1 .. 1	<b>DocumentDate</b>
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	<b>DateTime</b>
1 .. 1	<b>DocumentCode</b>
1 .. 1	<b>Function</b>
1 .. 1	<b>Version</b>
1 .. 1	<b>Shipment</b>
1 .. 1	xs:sequence
0 .. 1	<b>ShipmentId</b>
0 .. 1	<b>Dates</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>Date</b>
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	<b>DateTime</b>
0 .. 1	<b>TransportServices</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>ServiceGroup</b>
1 .. 1	xs:sequence
0 .. 1	<b>TransportService</b>
1 .. 1	xs:sequence
0 .. 1	<b>ServiceCode</b>
0 .. 1	<b>PriorityCode</b>
0 .. 1	<b>TransportService &lt;AdditionalServices&gt;</b>
1 .. 1	xs:sequence
0 .. 1	<b>ServiceCode</b>
0 .. 1	<b>TransportService &lt;Road BDS AdditionalServices&gt;</b>
1 .. 1	xs:sequence
0 .. 1	<b>ServiceCode</b>
0 .. 1	<b>FreeTextData</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>FreeText</b>
required	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	<b>TextLine1</b>
0 .. 1	<b>Dates</b>
1 .. 1	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
<b>0 .. unbounded</b> required required	<b>Date</b>
	<i>Type</i>
	<i>Format</i>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>DateTime</b>
<b>0 .. 1</b>	<b>Parties</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Party</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>PartyDetails</b>
required	<i>Role</i>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>Id</b>
<b>0 .. 1</b>	<b>Assignor</b>
<b>0 .. 1</b>	<b>PartyName</b>
<b>0 .. 1</b>	<b>AddressLine1</b>
<b>0 .. 1</b>	<b>AddressLine2</b>
<b>0 .. 1</b>	<b>AddressLine3</b>
<b>0 .. 1</b>	<b>CityName</b>
<b>0 .. 1</b>	<b>State</b>
<b>0 .. 1</b>	<b>PostCode</b>
<b>0 .. 1</b>	<b>CountryCode</b>
<b>0 .. 1</b>	<b>Locations</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Location</b>
required	<i>Type</i>
1 .. 1	xs:sequence
<b>1 .. unbounded</b>	<b>LocationIdentification</b>
	<i>Type</i>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>LocationIdentifier</b>
<b>0 .. unbounded</b>	<b>Contact</b>
required	<i>Type</i>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>Name</b>
<b>0 .. 1</b>	<b>Phone</b>
<b>0 .. 1</b>	<b>Mobile</b>
<b>0 .. 1</b>	<b>Fax</b>
<b>0 .. 1</b>	<b>Email</b>
<b>0 .. 1</b>	<b>References</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>ReferenceGroup</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>Reference</b>
required	<i>Type</i>
optional	<i>Identifier</i>
<b>0 .. 1</b>	<b>References</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>ReferenceGroup</b>
1 .. 1	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
0 .. 1 required	<b>Reference</b>
	<i>Type</i>
<b>0 .. 1</b>	<b>FreeTextData</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>FreeText</b>
required	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	<b>DescriptionCode</b>
0 .. 1	<b>TextLine1</b>
0 .. 1	<b>TextLine2</b>
0 .. 1	<b>TextLine3</b>
0 .. 1	<b>TextLine4</b>
0 .. 1	<b>TextLine5</b>
<b>0 .. 1</b>	<b>ControlTotals</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>ControlTotal</b>
required	<i>Type</i>
	<i>Uom</i>
1 .. 1	xs:sequence
0 .. 1	<b>Quantity</b>
<b>0 .. 1</b>	<b>Documents</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Document</b>
1 .. 1	xs:sequence
0 .. 1	<b>DocumentCode</b>
0 .. 1	<b>DocumentCopies</b>
0 .. 1	<b>DocumentOriginals</b>
<b>0 .. 1</b>	<b>Locations</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Location</b>
required	<i>Type</i>
1 .. 1	xs:sequence
<b>1 .. unbounded</b>	<b>LocationIdentification</b>
	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	<b>LocationIdentifier</b>
0 .. 1	<b>LocationName</b>
<b>0 .. 1</b>	<b>TermsOfDelivery</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>Terms</b>
1 .. 1	xs:sequence
0 .. 1	<b>TermCode</b>
0 .. 1	<b>CodeId</b>
<b>0 .. unbounded</b>	<b>Location</b>
required	<i>Type</i>
1 .. 1	xs:sequence
<b>1 .. unbounded</b>	<b>LocationIdentification</b>
	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	<b>LocationIdentifier</b>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
0 .. 1	LocationName
<b>0 .. 1</b>	<b>References</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>ReferenceGroup</b>
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
optional	CustomFieldType
<b>0 .. 1</b>	<b>Date</b>
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	DateTime
<b>0 .. 1</b>	<b>Requirements</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Requirement</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>GovernmentalRequirements</b>
1 .. 1	xs:sequence
0 .. 1	TransportMovementCode
0 .. 1	InvolvementCode
<b>0 .. 1</b>	<b>Documents</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Document</b>
1 .. 1	xs:sequence
0 .. 1	DocumentCode
<b>0 .. 1</b>	<b>ChargeMethodology</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>PaymentInstructions</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>PaymentInstruction</b>
1 .. 1	xs:sequence
0 .. 1	PaymentCode
<b>0 .. 1</b>	<b>TransportStages</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>TransportStage</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>Stage</b>
required	Type
1 .. 1	xs:sequence
0 .. 1	ModeOfTransport
0 .. 1	TransportId
0 .. 1	CarrierId
0 .. 1	CarrierName
0 .. 1	TransportType
0 .. 1	TransportMeansName
0 .. 1	TransportMeansNationality
<b>0 .. 1</b>	<b>Dates</b>
1 .. 1	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
<b>0 .. unbounded</b> required required	<b>Date</b>
	<i>Type</i>
	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	<b>DateTime</b>
<b>0 .. 1</b>	<b>Locations</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b> required	<b>Location</b>
1 .. 1	<i>Type</i>
	xs:sequence
<b>1 .. unbounded</b>	<b>LocationIdentification</b>
	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	<b>LocationIdentifier</b>
0 .. 1	<b>LocationName</b>
<b>0 .. 1</b>	<b>References</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>ReferenceGroup</b>
1 .. 1	xs:sequence
0 .. 1	<b>Reference</b>
required	<i>Type</i>
<b>0 .. 1</b>	<b>Parties</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Party</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>PartyDetails</b>
required	<i>Role</i>
1 .. 1	xs:sequence
0 .. 1	<b>Id</b>
0 .. 1	<b>Assignor</b>
0 .. 1	<b>PartyName</b>
0 .. 1	<b>AddressLine1</b>
0 .. 1	<b>AddressLine2</b>
0 .. 1	<b>AddressLine3</b>
0 .. 1	<b>CityName</b>
0 .. 1	<b>State</b>
0 .. 1	<b>PostCode</b>
0 .. 1	<b>CountryCode</b>
<b>0 .. 1</b>	<b>Locations</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b> required	<b>Location</b>
1 .. 1	<i>Type</i>
	xs:sequence
<b>1 .. unbounded</b>	<b>LocationIdentification</b>
	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	<b>LocationIdentifier</b>
<b>0 .. unbounded</b> required	<b>Contact</b>
1 .. 1	<i>Type</i>
	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
0 .. 1	Name
0 .. 1	Phone
0 .. 1	Mobile
0 .. 1	Fax
0 .. 1	Email
<b>0 .. 1</b>	<b>GoodsItems</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>GoodsItem</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>Item</b>
1 .. 1	xs:sequence
0 .. 1	ItemNumber
0 .. 1	PackageQty
0 .. 1	PackageType
<b>0 .. 1</b>	<b>HandlingInstructions</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>HandlingInstruction</b>
1 .. 1	xs:sequence
0 .. 1	DescriptionCode
0 .. 1	Description
<b>0 .. 1</b>	<b>RangeDetails</b>
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Minimum
0 .. 1	Maximum
<b>0 .. 1</b>	<b>Locations</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Location</b>
required	Type
1 .. 1	xs:sequence
<b>1 .. unbounded</b>	<b>LocationIdentification</b>
	Type
1 .. 1	xs:sequence
0 .. 1	LocationIdentifier
<b>0 .. 1</b>	<b>MonetaryAmounts</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>MonetaryAmount</b>
required	Type
1 .. 1	xs:sequence
0 .. 1	Amount
0 .. 1	Currency
<b>0 .. 1</b>	<b>ProductIds</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>ProductId</b>
required	Type
1 .. 1	xs:sequence
0 .. 1	ItemId
0 .. 1	ItemType
<b>0 .. 1</b>	<b>FreeTextData</b>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group



Occurrence	Element/Attribute
1 .. 1	xs:sequence
<b>0 .. unbounded</b> required	<b>FreeText</b>
	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	<b>TextLine1</b>
0 .. 1	<b>TextLine2</b>
0 .. 1	<b>TextLine3</b>
0 .. 1	<b>TextLine4</b>
0 .. 1	<b>TextLine5</b>
<b>0 .. 1</b>	<b>Measurements</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b> required	<b>Measurement</b>
	<i>Type</i>
	<i>Uom</i>
1 .. 1	xs:sequence
0 .. 1	<b>Measure</b>
<b>0 .. 1</b>	<b>Dimensions</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b> required	<b>Dimension</b>
	<i>Type</i>
	<i>Uom</i>
1 .. 1	xs:sequence
0 .. 1	<b>Length</b>
0 .. 1	<b>Width</b>
0 .. 1	<b>Height</b>
0 .. 1	<b>NumberOfUnits</b>
<b>0 .. 1</b>	<b>References</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>ReferenceGroup</b>
1 .. 1	xs:sequence
0 .. 1	<b>Reference</b>
required	<i>Type</i>
<b>0 .. 1</b>	<b>Packagelds</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Packageld</b>
1 .. 1	xs:sequence
1 .. 1	<b>InstructionCode</b>
<b>0 .. 1</b>	<b>Marks</b>
1 .. 1	xs:sequence
1 .. unbounded	<b>ShippingMark</b>
<b>0 .. unbounded</b> required	<b>GoodsIdentities</b>
	<i>Type</i>
1 .. 1	xs:sequence
1 .. unbounded	<b>GoodsIdentifier</b>
<b>0 .. 1</b>	<b>GoodsPlacementIds</b>
1 .. 1	xs:sequence
1 .. unbounded	<b>GoodsPlacementId</b>
<b>0 .. 1</b>	<b>DangerousGoodsDetails</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>DangerousGoodsDetail</b>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>DangerousGoods</b>
1 .. 1	xs:sequence
0 .. 1	Regulation
0 .. 1	HazardClass
0 .. 1	AdditionalHazardClass
0 .. 1	HazardVersionId
0 .. 1	UNDGNumber
0 .. 1	FlashPointDescription
0 .. 1	FlashPointTemperature
	<i>FlashpointUom</i>
0 .. 1	DangerLevelCode
0 .. 1	EMSNumber
0 .. 1	MFAGNumber
0 .. 1	TremCardNumber
0 .. 1	UpperPlate
0 .. 1	LowerPlate
<b>0 .. 1</b>	<b>Labels</b>
1 .. 1	xs:sequence
1 .. 4	Label
0 .. 1	PackingInstruction
0 .. 1	TransportMeansCode
0 .. 1	TunnelCode
<b>0 .. 1</b>	<b>FreeTextData</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>FreeText</b>
required	Type
1 .. 1	xs:sequence
0 .. 1	TextLine1
0 .. 1	TextLine2
0 .. 1	TextLine3
0 .. 1	TextLine4
0 .. 1	TextLine5
<b>0 .. 1</b>	<b>Measurements</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Measurement</b>
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Measure
<b>0 .. 1</b>	<b>EquipmentUnits</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>EquipmentUnit</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>EquipmentType</b>
1 .. 1	xs:sequence
0 .. 1	Type
0 .. 1	UnitId
0 .. 1	SizeTypeCode
0 .. 1	ISOCODE

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
0 .. 1	<b>NumberOfUnits</b>
<b>0 .. 1</b>	<b>Measurements</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b> required	<b>Measurement</b>
	<i>Type</i>
	<i>Uom</i>
1 .. 1	xs:sequence
0 .. 1	<b>Measure</b>
<b>0 .. 1</b>	<b>SealIds</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Seal</b>
1 .. 1	xs:sequence
0 .. 1	<b>SealId</b>
0 .. 1	<b>SealParty</b>
<b>0 .. 1</b>	<b>References</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>ReferenceGroup</b>
1 .. 1	xs:sequence
0 .. 1	<b>Reference</b>
required	<i>Type</i>
<b>0 .. 1</b>	<b>Dates</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b> required	<b>Date</b>
required	<i>Type</i>
	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	<b>DateTime</b>
<b>0 .. 1</b>	<b>TransportMovement</b>
1 .. 1	xs:sequence
0 .. 1	<b>Code</b>
0 .. 1	<b>Description</b>
<b>0 .. 1</b> required	<b>TemperatureControl</b>
	<i>Type</i>
	<i>Uom</i>
1 .. 1	xs:sequence
0 .. 1	<b>Fixed</b>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

## Guideline

Element/Attribute	Annotation
<b>DSV_ShipmentMessage</b>	<b>Type</b> dsv_shipmentmessage:DSV_ShipmentMessage <b>Occurrence</b> 1 .. 1
xs:sequence	
<b>Header</b>	<b>Type</b> sharedelements:Header <b>General Notes</b> MESSAGE HEADER  <b>Examples</b> <Header> <Messageld>12485236</Messageld> <SenderId>SenderIdentification</SenderId> <ReceiverId>ReceiverIdentification</ReceiverId> <DocumentDate Type="DocumentDate" Format="DateTimeSec"> <DateTime>20190212000000</DateTime> </DocumentDate> <DocumentCode>ForwardingInstruction</DocumentCode> <Function>New</Function> <Version>1.0</Version> </Header>
xs:sequence	
<b>Messageld</b>	<b>Occurrence</b> 1 .. 1 <b>Type</b> xs:string <b>General Notes</b> MESSAGE IDENTIFIER
<b>SenderId</b>	<b>Occurrence</b> 1 .. 1 <b>Type</b> xs:string <b>General Notes</b> SENDER IDENTIFICATION Mutually agreed
<b>ReceiverId</b>	<b>Occurrence</b> 1 .. 1 <b>Type</b> xs:string <b>General Notes</b> RECEIVER IDENTIFICATION Mutually agreed
<b>DocumentDate</b>	<b>Occurrence</b> 1 .. 1 <b>Type</b> sharedelements:Date
<i>Type</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> DOCUMENT / MESSAGE DATE TYPE
<i>Format</i>	<b>Applicable Codes</b> <b>IssueDate</b> Document Issued Date <b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> DOCUMENT / MESSAGE DATE FORMAT
xs:sequence	
<b>DateTime</b>	<b>Applicable Codes</b> <b>Date</b> YYYYMMDD <b>DateTimeSec</b> CCYYMMDDHHMMSS <b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> DOCUMENT / MESSAGE DATE/TIME
<b>DocumentCode</b>	<b>Occurrence</b> 1 .. 1 <b>Type</b> xs:string <b>General Notes</b> DOCUMENT TYPE
	<b>Applicable Codes</b> <b>BookingRequest</b> Booking Request Message <b>ForwardingInstruction</b> Forwarding Instruction Message

Bold = Element, *Italic* = Attribute, Grey = Group



Element/Attribute	Annotation																								
<b>Function</b>	<p>Occurrence 1 .. 1 Type xs:string <b>General Notes</b> DOCUMENT/MESSAGE FUNCTION</p> <p><b>Applicable Codes</b></p> <table> <tr> <td><b>Delete</b></td><td>Delete/Cancel Shipment</td></tr> <tr> <td><b>New</b></td><td>New Shipment</td></tr> <tr> <td><b>Update</b></td><td>Update Shipment</td></tr> </table>	<b>Delete</b>	Delete/Cancel Shipment	<b>New</b>	New Shipment	<b>Update</b>	Update Shipment																		
<b>Delete</b>	Delete/Cancel Shipment																								
<b>New</b>	New Shipment																								
<b>Update</b>	Update Shipment																								
<b>Version</b>	<p>Occurrence 1 .. 1 Type xs:string <b>General Notes</b> MESSAGE VERSION</p> <p><b>Applicable Codes</b></p> <table> <tr> <td><b>1.0</b></td><td>Version 1.0</td></tr> </table>	<b>1.0</b>	Version 1.0																						
<b>1.0</b>	Version 1.0																								
<b>Shipment</b>	<p>Occurrence 1 .. 1 Type shipment:Shipment</p>																								
xs:sequence																									
<b>ShipmentId</b>	<p>Occurrence 0 .. 1 Type xs:string <b>General Notes</b> SHIPMENT IDENTIFIER</p> <p><b>Examples</b> &lt;ShipmentId&gt;ABC0011222&lt;/ShipmentId&gt;</p>																								
<b>Dates</b>	<p>Occurrence 0 .. 1 Type shipment:DateList <b>General Notes</b> SHIPMENT DATES</p> <p><b>Examples</b> &lt;Dates&gt;          &lt;Date Type="IssueDate" Format="DateTime"&gt;            &lt;DateTime&gt;201902130900&lt;/DateTime&gt;          &lt;/Date&gt;          &lt;Date Type="Collection" Format="Date"&gt;            &lt;DateTime&gt;20190220&lt;/DateTime&gt;          &lt;/Date&gt;          &lt;Date Type="DeliveryRequested" Format="DateTimeInterval"&gt;            &lt;DateTime&gt;201903021200-201903021700&lt;/DateTime&gt;          &lt;/Date&gt;          &lt;/Dates&gt;</p>																								
xs:sequence																									
<b>Date</b>	<p>Occurrence 1 .. 1 Occurrence 0 .. unbounded Type sharedElements:Date</p>																								
Type	<p>Type xs:string Use required <b>General Notes</b> SHIPMENT DATE TYPE</p> <p><b>Applicable Codes</b></p> <table> <tr> <td><b>Collection</b></td><td>Collection date/time, earliest</td></tr> <tr> <td><b>DeliveryRequested</b></td><td>Delivery date/time, requested</td></tr> <tr> <td><b>EstimatedCollection</b></td><td>Shipment date/time, promised for</td></tr> <tr> <td><b>EstimatedDelivery</b></td><td>Delivery date/time, estimated</td></tr> <tr> <td><b>GoodsAvailable</b></td><td>Goods Available</td></tr> <tr> <td><b>GoodsStorage</b></td><td>Goods Storage</td></tr> <tr> <td><b>HouseBillIssued</b></td><td>House Bill Issued</td></tr> <tr> <td><b>Receipt</b></td><td>Receipt Date</td></tr> <tr> <td><b>RequestedCollection</b></td><td>Shipment date/time, requested</td></tr> <tr> <td><b>RequestedDelivery</b></td><td>Requested Delivery date/time</td></tr> <tr> <td><b>ScheduledCollection</b></td><td>Goods collection or pick-up date/time, planned</td></tr> <tr> <td><b>ScheduledDelivery</b></td><td>Delivery date/time, 1st schedule</td></tr> </table>	<b>Collection</b>	Collection date/time, earliest	<b>DeliveryRequested</b>	Delivery date/time, requested	<b>EstimatedCollection</b>	Shipment date/time, promised for	<b>EstimatedDelivery</b>	Delivery date/time, estimated	<b>GoodsAvailable</b>	Goods Available	<b>GoodsStorage</b>	Goods Storage	<b>HouseBillIssued</b>	House Bill Issued	<b>Receipt</b>	Receipt Date	<b>RequestedCollection</b>	Shipment date/time, requested	<b>RequestedDelivery</b>	Requested Delivery date/time	<b>ScheduledCollection</b>	Goods collection or pick-up date/time, planned	<b>ScheduledDelivery</b>	Delivery date/time, 1st schedule
<b>Collection</b>	Collection date/time, earliest																								
<b>DeliveryRequested</b>	Delivery date/time, requested																								
<b>EstimatedCollection</b>	Shipment date/time, promised for																								
<b>EstimatedDelivery</b>	Delivery date/time, estimated																								
<b>GoodsAvailable</b>	Goods Available																								
<b>GoodsStorage</b>	Goods Storage																								
<b>HouseBillIssued</b>	House Bill Issued																								
<b>Receipt</b>	Receipt Date																								
<b>RequestedCollection</b>	Shipment date/time, requested																								
<b>RequestedDelivery</b>	Requested Delivery date/time																								
<b>ScheduledCollection</b>	Goods collection or pick-up date/time, planned																								
<b>ScheduledDelivery</b>	Delivery date/time, 1st schedule																								

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
<i>Format</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> SHIPMENT DATE FORMAT <b>Applicable Codes</b> <b>DateTimeInterval</b> YYYYMMDDHHMM- YYYYMMDDHHMM CCYYMMDDHHMMSS <b>DateTimeSec</b>
xs:sequence <b>DateTime</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SHIPMENT DATE/TIME
<b>TransportServices</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:ServiceGroupList <b>General Notes</b> TRANSPORT SERVICES First occurrence is Main Service Additional services will be provided in subsequent occurrences
xs:sequence <b>ServiceGroup</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> shipment:ServiceGroup
xs:sequence <b>TransportService</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:TransportService <b>General Notes</b> MAIN TRANSPORT SERVICE <b>Examples</b> <TransportService> <ServiceCode>LTL</ServiceCode> <PriorityCode>Normal</PriorityCode> </TransportService>
xs:sequence <b>ServiceCode</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TYPE OF SERVICE REQUIRED <b>Applicable Codes</b> <b>FCL</b> Main Service: Full Container Load <b>FTL</b> Main Service: Full Truck Load <b>IATA</b> Main Service: Air IATA <b>LCL</b> Main Service: Less than full Container Load <b>LSE</b> Main Service: Air Loose Cargo <b>LTL</b> Main Service: Less than full Truck Load
<b>PriorityCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SERVICE PRIORITY CODE Only provided for Main Service (First TransportService) <b>Applicable Codes</b> <b>Express</b> Express Service <b>HighSpeed</b> High Speed Service <b>Normal</b> Normal Service
<b>TransportService &lt;AdditionalServices&gt;</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:TransportService

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation																										
	<b>General Notes</b> ADDITIONAL TRANSPORT SERVICE  <b>Examples</b> <TransportService> <ServiceCode>Before16</ServiceCode> </TransportService>																										
xs:sequence	Occurrence 1 .. 1																										
<b>ServiceCode</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TYPE OF SERVICE REQUIRED  <b>Applicable Codes</b> <table> <tr> <td><b>Before7</b></td><td>Additional Service: Express Before 07:00</td></tr> <tr> <td><b>Crane</b></td><td>Additional Service: Crane required loading or unloading or both</td></tr> <tr> <td><b>HAZ</b></td><td>Additional Service: Hazardous goods</td></tr> <tr> <td><b>InNightproduct</b></td><td>Additional Service: InNight product</td></tr> <tr> <td><b>Lift</b></td><td>Additional Service: Tail lift</td></tr> <tr> <td><b>Notification</b></td><td>Additional Service: Notify</td></tr> <tr> <td><b>OMEX</b></td><td>Additional Service: Omex service goods</td></tr> <tr> <td><b>PersonalDeliveryService</b></td><td>Additional Service: Personal delivery service</td></tr> <tr> <td><b>PreAdvice</b></td><td>Additional Service: Pre-advice</td></tr> <tr> <td><b>ePallet</b></td><td>Additional Service: E-service pallet</td></tr> <tr> <td><b>eParcel</b></td><td>Additional Service: E-service parcel</td></tr> </table>	<b>Before7</b>	Additional Service: Express Before 07:00	<b>Crane</b>	Additional Service: Crane required loading or unloading or both	<b>HAZ</b>	Additional Service: Hazardous goods	<b>InNightproduct</b>	Additional Service: InNight product	<b>Lift</b>	Additional Service: Tail lift	<b>Notification</b>	Additional Service: Notify	<b>OMEX</b>	Additional Service: Omex service goods	<b>PersonalDeliveryService</b>	Additional Service: Personal delivery service	<b>PreAdvice</b>	Additional Service: Pre-advice	<b>ePallet</b>	Additional Service: E-service pallet	<b>eParcel</b>	Additional Service: E-service parcel				
<b>Before7</b>	Additional Service: Express Before 07:00																										
<b>Crane</b>	Additional Service: Crane required loading or unloading or both																										
<b>HAZ</b>	Additional Service: Hazardous goods																										
<b>InNightproduct</b>	Additional Service: InNight product																										
<b>Lift</b>	Additional Service: Tail lift																										
<b>Notification</b>	Additional Service: Notify																										
<b>OMEX</b>	Additional Service: Omex service goods																										
<b>PersonalDeliveryService</b>	Additional Service: Personal delivery service																										
<b>PreAdvice</b>	Additional Service: Pre-advice																										
<b>ePallet</b>	Additional Service: E-service pallet																										
<b>eParcel</b>	Additional Service: E-service parcel																										
<b>TransportService &lt;Road BDS AdditionalServices&gt;</b>	Occurrence 0 .. 1 Type sharedelements:TransportService <b>General Notes</b> ROAD DATA BOOKING STANDARD - ADDITIONAL SERVICES  The codes shown here are specific to Shipments complying to the DSV Road Booking Data Standard.  <b>Examples</b> <TransportService> <ServiceCode>CraneLoad</ServiceCode> </TransportService>																										
xs:sequence	Occurrence 1 .. 1																										
<b>ServiceCode</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> ADDITIONAL SERVICE CODE  <b>Applicable Codes</b> <table> <tr> <td><b>AMDelivery</b></td><td>AM Delivery (08-12) (R36 / 1220)</td></tr> <tr> <td><b>AMPickup</b></td><td>AM Pick-up (08-12) (R34 / 1200)</td></tr> <tr> <td><b>ATRCertificate</b></td><td>ATR Certificate (R47 / 5009)</td></tr> <tr> <td><b>AdditionalTariffCode</b></td><td>Additional Tariff Code (R41 / 5003)</td></tr> <tr> <td><b>AdmFeeForPaymentOfVAT</b></td><td>Adm. Fee for Payment of VAT (R51 / 5013)</td></tr> <tr> <td><b>CargoInsurance</b></td><td>Cargo Insurance (R52 / 1020)</td></tr> <tr> <td><b>CarryIntoWarehouse</b></td><td>Carry into Warehouse (R18 / 1081)</td></tr> <tr> <td><b>CashOnDelivery</b></td><td>Cash on Delivery (R11 / 1030)</td></tr> <tr> <td><b>ConfirmationOfArrival</b></td><td>Confirmation of Arrival (R38 / 1240)</td></tr> <tr> <td><b>CraneLoad</b></td><td>Crane Load (R23 / 1120)</td></tr> <tr> <td><b>DV1Declaration</b></td><td>DV1 Declaration (R45 / 5007)</td></tr> <tr> <td><b>DangerousGoods</b></td><td>Dangerous Goods (R12 / 1040)</td></tr> <tr> <td><b>DangerousGoodsPercentage</b></td><td>Dangerous Goods - Percentage (R13 / 1041)</td></tr> </table>	<b>AMDelivery</b>	AM Delivery (08-12) (R36 / 1220)	<b>AMPickup</b>	AM Pick-up (08-12) (R34 / 1200)	<b>ATRCertificate</b>	ATR Certificate (R47 / 5009)	<b>AdditionalTariffCode</b>	Additional Tariff Code (R41 / 5003)	<b>AdmFeeForPaymentOfVAT</b>	Adm. Fee for Payment of VAT (R51 / 5013)	<b>CargoInsurance</b>	Cargo Insurance (R52 / 1020)	<b>CarryIntoWarehouse</b>	Carry into Warehouse (R18 / 1081)	<b>CashOnDelivery</b>	Cash on Delivery (R11 / 1030)	<b>ConfirmationOfArrival</b>	Confirmation of Arrival (R38 / 1240)	<b>CraneLoad</b>	Crane Load (R23 / 1120)	<b>DV1Declaration</b>	DV1 Declaration (R45 / 5007)	<b>DangerousGoods</b>	Dangerous Goods (R12 / 1040)	<b>DangerousGoodsPercentage</b>	Dangerous Goods - Percentage (R13 / 1041)
<b>AMDelivery</b>	AM Delivery (08-12) (R36 / 1220)																										
<b>AMPickup</b>	AM Pick-up (08-12) (R34 / 1200)																										
<b>ATRCertificate</b>	ATR Certificate (R47 / 5009)																										
<b>AdditionalTariffCode</b>	Additional Tariff Code (R41 / 5003)																										
<b>AdmFeeForPaymentOfVAT</b>	Adm. Fee for Payment of VAT (R51 / 5013)																										
<b>CargoInsurance</b>	Cargo Insurance (R52 / 1020)																										
<b>CarryIntoWarehouse</b>	Carry into Warehouse (R18 / 1081)																										
<b>CashOnDelivery</b>	Cash on Delivery (R11 / 1030)																										
<b>ConfirmationOfArrival</b>	Confirmation of Arrival (R38 / 1240)																										
<b>CraneLoad</b>	Crane Load (R23 / 1120)																										
<b>DV1Declaration</b>	DV1 Declaration (R45 / 5007)																										
<b>DangerousGoods</b>	Dangerous Goods (R12 / 1040)																										
<b>DangerousGoodsPercentage</b>	Dangerous Goods - Percentage (R13 / 1041)																										

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>Applicable Codes</b>
<b>DeliveryBefore07</b>	Delivery Before 07 (R30 / 1170)
<b>DeliveryBefore08</b>	Delivery Before 08 (R31 / 1175)
<b>DeliveryBefore10</b>	Delivery Before 10 (R33 / 1190)
<b>EUR1Certificate</b>	EUR1 Certificate (R44 / 5006)
<b>ExportCustomsClearance</b>	Export Customs Clearance (R31 / 5001)
<b>ExportDocumentation</b>	Export Documentation (R49 / 5011)
<b>FixDayDelivery</b>	Fix Day Delivery (R27 / 1151)
<b>FixTimeDelivery</b>	Fix Time Delivery (R26 / 1150)
<b>FixTimePickup</b>	Fix Time Pick-up (R25 / 1140)
<b>ImportCustomsClearance</b>	Import Customs Clearance (R40 / 5002)
<b>IntrastatReporting</b>	Intrastat Reporting (R14 / 1050)
<b>OneDayGuarantee</b>	One Day Guarantee (R28 / 1152)
<b>PMDelivery</b>	PM Delivery (12-16) (R37 / 1230)
<b>PMPickup</b>	PM Pick-up (12-16) (R35 / 1210)
<b>PickupBefore07</b>	Pick-up Before 07 (R29 / 1160)
<b>PickupBefore10</b>	Pick-up Before 10 (R32 / 1180)
<b>PreAdviceDelivery</b>	Pre-advice Delivery (R06 / 1010)
<b>PreAdviceMailDelivery</b>	Pre-advice Mail Delivery (R08 / 1012)
<b>PreAdviceMailPickup</b>	Pre-advice Mail Pick-up (R07 / 1011)
<b>PreAdvicePhoneDriverDelivery</b>	Pre-adv. Phone Driver Delivery (R10 / 1014)
<b>PreAdvicePhoneDriverPickup</b>	Pre-adv. Phone Driver Pick-up (R09 / 1013)
<b>PreAdvicePickup</b>	Pre-advice Pick-up (R05 / 1009)
<b>PreArrangedDeliveryTime</b>	Pre-arranged Delivery Time (R24 / 1130)
<b>PvtDeliveryCarryIn</b>	Private Delivery: Carry (R16 / 1070)
<b>PvtDeliveryCarryUp</b>	Private Delivery: Carry Up (R17 / 1080)
<b>PvtDeliveryCurbSide</b>	Private Delivery: Curb Side (R15 / 1060)
<b>RetItemPalletsDelivery</b>	Return. Items - Pallets Delivery (R02 / 1001)
<b>RetItemPalletsPickup</b>	Return. Items - Pallets Pick-up (R01 / 1000)
<b>RetItemsMiscDelivery</b>	Return. Items - Misc Delivery (R04 / 1003)
<b>RetItemsMiscPickup</b>	Return. Items - Misc Pick-up (R03 / 1002)
<b>SpecificationImportVAT</b>	Specification Import VAT (R52 / 5012)
<b>T1Document</b>	T1 Document (R42 / 5004)
<b>T2Document</b>	T2 Document (R43 / 5005)
<b>T2LDocument</b>	T2L Document (R46 / 5008)
<b>TIRCarnet</b>	TIR Carnet (R48 / 5010)
<b>TailLiftDelivery</b>	Tail Lift Delivery (R22 / 1110)
<b>TailLiftPickup</b>	Tail Lift Pick-up (R21 / 1100)
<b>Thermo</b>	Thermo Transport (R19 / 1090)
<b>ThermoPercentage</b>	Thermo Transport - Percentage (R20 / 1091)
<b>FreeTextData</b>	<p>Occurrence 0 .. 1</p> <p>Type shipment:FreeTextList</p> <p><b>General Notes</b> SERVICE FREE TEXT</p> <p><b>Examples</b></p> <pre>&lt;FreeTextData&gt;   &lt;FreeText Type="ServiceDescription"&gt;     &lt;TextLine1&gt;Service Description Text&lt;/TextLine1&gt;   &lt;/FreeText&gt;</pre>

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>Examples</b> <FreeText Type="ServiceNote"> <TextLine1>Service Note Text</TextLine1> </FreeText> </FreeTextData>
xs:sequence <b>FreeText</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:FreeText <b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> SERVICE FREE TEXT TYPE
Type	
xs:sequence <b>TextLine1</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SERVICE FREE TEXT LINE 1
<b>Dates</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:DateList <b>General Notes</b> SERVICE DATES
xs:sequence <b>Date</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:Date <b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> SERVICE DATE TYPE
Type	
Format	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> SERVICE DATE FORMAT
xs:sequence <b>DateTime</b>	<b>Applicable Codes</b> <b>DateTimeSec</b> CCYYMMDDHHMMSS <b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SERVICE DATE/TIME
<b>Parties</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:PartiesList <b>General Notes</b> SERVICE PARTIES
xs:sequence <b>Party</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> shipment:Party
xs:sequence <b>PartyDetails</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:PartyDetails <b>General Notes</b> SERVICE PARTY DETAILS
	<b>Examples</b> <PartyDetails Role="Contractor"> <Id>Contractor</Id> <Assignor>DSV</Assignor> <PartyName>Contractor Name</PartyName> <AddressLine1>Contractor Addr Line 1</AddressLine1> <AddressLine2>Contractor Addr Line 2</AddressLine2>

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Examples</b> <AddressLine3>Contractor Addr Line 3</AddressLine3> <CityName>Contractor City</CityName> <State>Contractor State</State> <PostCode>PostCd</PostCode> <CountryCode>DK</CountryCode> </PartyDetails>
<b>Role</b>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> SERVICE PARTY ROLE <b>Applicable Codes</b> <b>Contractor</b> Service Contractor
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Id</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SERVICE PARTY IDENTIFIER
<b>Assignor</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SERVICE PARTY IDENTIFIER ASSIGNOR
<b>PartyName</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SERVICE PARTY NAME
<b>AddressLine1</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SERVICE PARTY ADDRESS LINE 1
<b>AddressLine2</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SERVICE PARTY ADDRESS LINE 2
<b>AddressLine3</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SERVICE PARTY ADDRESS LINE 3
<b>CityName</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SERVICE PARTY CITY
<b>State</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SERVICE PARTY STATE/PROVINCE
<b>PostCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SERVICE PARTY POSTAL CODE
<b>CountryCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SERVICE PARTY ISO COUNTRY CODE
<b>Locations</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:LocationList <b>General Notes</b> SERVICE PARTY LOCATION <b>Examples</b> <Locations> <Location Type="PhysicalLocation"> <LocationIdentification Type="UN"> <LocationIdentifier>DKHOR</LocationIdentifier>

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Examples</b> </LocationIdentification> </Location> </Locations>
xs:sequence <b>Location</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:Location <b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> SERVICE PARTY LOCATION TYPE
Type	<b>Applicable Codes</b> <b>PhysicalLocation</b> Physical Location
xs:sequence <b>LocationIdentification</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 1 .. unbounded <b>Type</b> sharedelements:LocationIdentification <b>Type</b> xs:string <b>General Notes</b> SERVICE PARTY LOCATION IDENTIFIER TYPE
Type	<b>Applicable Codes</b> <b>UN</b> UN Location Code
xs:sequence <b>LocationIdentifier</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SERVICE PARTY LOCATION IDENTIFIER
<b>Contact</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:Contact <b>General Notes</b> SERVICE PARTY CONTACT DETAILS
Type	<b>Examples</b> <Contact Type="InformationContact"> <Name>Contact name</Name> <Phone>Contact Phone</Phone> <Mobile>Contact Mobile</Mobile> <Fax>Contact Fax</Fax> <Email>Contact Email</Email> </Contact>
Type	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> SERVICE PARTY CONTACT TYPE
xs:sequence <b>Name</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SERVICE PARTY CONTACT NAME
<b>Phone</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SERVICE PARTY CONTACT PHONE
<b>Mobile</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SERVICE PARTY CONTACT MOBILE
<b>Fax</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SERVICE PARTY CONTACT FAX
<b>Email</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
<b>References</b>	<b>General Notes</b> SERVICE PARTY CONTACT EMAIL ADDRESS <b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:ReferenceGroupList <b>General Notes</b> SERVICE PARTY REFERENCES
<i>xs:sequence</i> <b>ReferenceGroup</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> shipment:ReferenceGroup
<i>xs:sequence</i> <b>Reference</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:Reference <b>General Notes</b> SERVICE PARTY REFERENCE
<i>Type</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> SERVICE PARTY REFERENCE TYPE
<i>Identifier</i>	<b>Type</b> xs:string <b>Use</b> optional <b>General Notes</b> SERVICE PARTY REFERENCE IDENTIFIER
<b>References</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:ReferenceGroupList <b>General Notes</b> SERVICE REFERENCES  <b>Examples</b> <References> <ReferenceGroup> <Reference Type="ServiceReference">ServRef</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="ServiceCount">1</Reference> </ReferenceGroup> </References>
<i>xs:sequence</i> <b>ReferenceGroup</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> shipment:ReferenceGroup
<i>xs:sequence</i> <b>Reference</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:Reference <b>General Notes</b> SERVICE REFERENCE
<i>Type</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> SERVICE REFERENCE TYPE  <b>Applicable Codes</b> <b>ServiceCount</b> <b>ServiceReference</b>
<b>FreeTextData</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:FreeTextList <b>General Notes</b> SHIPMENT FREE TEXT  <b>Examples</b> <FreeTextData> <FreeText Type="DeliveryInstructions"> <TextLine1>DeliveryInstructions Text Line 1</TextLine1> <TextLine2>DeliveryInstructions Text Line 2</TextLine2> <TextLine3>DeliveryInstructions Text Line 3</TextLine3> <TextLine4>DeliveryInstructions Text Line 4</TextLine4> </FreeText> </FreeTextData>

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation																										
<b>Examples</b> <TextLine5>DeliveryInstructions Text Line 5</TextLine5> </FreeText> <FreeText Type="HandlingInstructions"> <TextLine1>Handling Instructions Text Line 1</TextLine1> </FreeText> <FreeText Type="PickupInstructions"> <TextLine1>Pickup Instructions Text Line 1</TextLine1> </FreeText> </FreeTextData>																											
xs:sequence	<b>Occurrence</b> 1 .. 1																										
<b>FreeText</b>	<b>Occurrence</b> 0 .. unbounded																										
	<b>Type</b> sharedelements:FreeText																										
Type	<b>Type</b> xs:string																										
	<b>Use</b> required																										
	<b>General Notes</b> FREE TEXT TYPE																										
	Predefined Types listed, additional FreeText types to be agreed																										
<b>Applicable Codes</b> <table> <tr> <td><b>AdditionalDetails</b></td><td>Additional Details</td></tr> <tr> <td><b>ConsignmentDetails</b></td><td>Consignment Details (Status, RegDate, Remarks, Originater)</td></tr> <tr> <td><b>DeliveryInstructions</b></td><td>Delivery Instructions</td></tr> <tr> <td><b>DeliveryRemarks</b></td><td>Delivery Remarks</td></tr> <tr> <td><b>DropModeDelivery</b></td><td>Drop Mode for Delivery</td></tr> <tr> <td><b>DropModePickup</b></td><td>Drop Mode for Pickup</td></tr> <tr> <td><b>GeneralInformation</b></td><td>General information</td></tr> <tr> <td><b>NatureOfCargo</b></td><td>Nature Of Cargo</td></tr> <tr> <td><b>PickupInstructions</b></td><td>Pickup Instructions</td></tr> <tr> <td><b>SpecialHandling</b></td><td>Special Handling</td></tr> <tr> <td><b>SpecialInstructions</b></td><td>Special Instructions</td></tr> <tr> <td><b>StatusRemarks</b></td><td>Status Remarks</td></tr> <tr> <td><b>WarehouseInstructionsExport</b></td><td>Warehouse Instructions Export</td></tr> </table>		<b>AdditionalDetails</b>	Additional Details	<b>ConsignmentDetails</b>	Consignment Details (Status, RegDate, Remarks, Originater)	<b>DeliveryInstructions</b>	Delivery Instructions	<b>DeliveryRemarks</b>	Delivery Remarks	<b>DropModeDelivery</b>	Drop Mode for Delivery	<b>DropModePickup</b>	Drop Mode for Pickup	<b>GeneralInformation</b>	General information	<b>NatureOfCargo</b>	Nature Of Cargo	<b>PickupInstructions</b>	Pickup Instructions	<b>SpecialHandling</b>	Special Handling	<b>SpecialInstructions</b>	Special Instructions	<b>StatusRemarks</b>	Status Remarks	<b>WarehouseInstructionsExport</b>	Warehouse Instructions Export
<b>AdditionalDetails</b>	Additional Details																										
<b>ConsignmentDetails</b>	Consignment Details (Status, RegDate, Remarks, Originater)																										
<b>DeliveryInstructions</b>	Delivery Instructions																										
<b>DeliveryRemarks</b>	Delivery Remarks																										
<b>DropModeDelivery</b>	Drop Mode for Delivery																										
<b>DropModePickup</b>	Drop Mode for Pickup																										
<b>GeneralInformation</b>	General information																										
<b>NatureOfCargo</b>	Nature Of Cargo																										
<b>PickupInstructions</b>	Pickup Instructions																										
<b>SpecialHandling</b>	Special Handling																										
<b>SpecialInstructions</b>	Special Instructions																										
<b>StatusRemarks</b>	Status Remarks																										
<b>WarehouseInstructionsExport</b>	Warehouse Instructions Export																										
xs:sequence	<b>Occurrence</b> 1 .. 1																										
<b>DescriptionCode</b>	<b>Occurrence</b> 0 .. 1																										
	<b>Type</b> xs:string																										
	<b>General Notes</b> FREE TEXT DESCRIPTION CODE																										
	Use to be agreed																										
<b>TextLine1</b>	<b>Occurrence</b> 0 .. 1																										
	<b>Type</b> xs:string																										
	<b>General Notes</b> FREE TEXT LINE 1																										
<b>TextLine2</b>	<b>Occurrence</b> 0 .. 1																										
	<b>Type</b> xs:string																										
	<b>General Notes</b> FREE TEXT LINE 2																										
<b>TextLine3</b>	<b>Occurrence</b> 0 .. 1																										
	<b>Type</b> xs:string																										
	<b>General Notes</b> FREE TEXT LINE 3																										
<b>TextLine4</b>	<b>Occurrence</b> 0 .. 1																										
	<b>Type</b> xs:string																										
	<b>General Notes</b> FREE TEXT LINE 4																										
<b>TextLine5</b>	<b>Occurrence</b> 0 .. 1																										
	<b>Type</b> xs:string																										
	<b>General Notes</b> FREE TEXT LINE 5																										

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation												
<b>ControlTotals</b>	<p><b>Occurrence</b> 0 .. 1</p> <p><b>Type</b> shipment:ControlTotalList</p> <p><b>General Notes</b> SHIPMENT CONTROL TOTALS</p> <p><b>Examples</b></p> <pre> &lt;ControlTotals&gt;   &lt;ControlTotal Type="NumberOfPackages"&gt;     &lt;Quantity&gt;20&lt;/Quantity&gt;   &lt;/ControlTotal&gt;   &lt;ControlTotal Type="GrossWeight" Uom="KGM"&gt;     &lt;Quantity&gt;101.01&lt;/Quantity&gt;   &lt;/ControlTotal&gt;   &lt;ControlTotal Type="Volume" Uom="MTQ"&gt;     &lt;Quantity&gt;2&lt;/Quantity&gt;   &lt;/ControlTotal&gt;   &lt;ControlTotal Type="LoadingMeters" Uom="MTR"&gt;     &lt;Quantity&gt;12&lt;/Quantity&gt;   &lt;/ControlTotal&gt;   &lt;ControlTotal Type="PalletSpaces" Uom="PLL"&gt;     &lt;Quantity&gt;10&lt;/Quantity&gt;   &lt;/ControlTotal&gt; &lt;/ControlTotals&gt; </pre>												
xs:sequence	<b>Occurrence</b> 1 .. 1												
<b>ControlTotal</b>	<p><b>Occurrence</b> 0 .. unbounded</p> <p><b>Type</b> sharedelements:ControlTotal</p> <p><b>Type</b> xs:string</p> <p><b>Use</b> required</p> <p><b>General Notes</b> CONTROL TOTAL TYPE</p> <table> <tr> <th colspan="2">Applicable Codes</th></tr> <tr> <td><b>GrossWeight</b></td><td>Gross Weight</td></tr> <tr> <td><b>LoadingMeters</b></td><td>Loading Meters</td></tr> <tr> <td><b>NetWeight</b></td><td>Net Weight</td></tr> <tr> <td><b>PalletSpaces</b></td><td>Pallet Spaces</td></tr> <tr> <td><b>Volume</b></td><td>Volume</td></tr> </table>	Applicable Codes		<b>GrossWeight</b>	Gross Weight	<b>LoadingMeters</b>	Loading Meters	<b>NetWeight</b>	Net Weight	<b>PalletSpaces</b>	Pallet Spaces	<b>Volume</b>	Volume
Applicable Codes													
<b>GrossWeight</b>	Gross Weight												
<b>LoadingMeters</b>	Loading Meters												
<b>NetWeight</b>	Net Weight												
<b>PalletSpaces</b>	Pallet Spaces												
<b>Volume</b>	Volume												
Type													
Uom	<p><b>Type</b> xs:string</p> <p><b>General Notes</b> QUANTITY UNIT OF MEASURE</p> <table> <tr> <th colspan="2">Applicable Codes</th></tr> <tr> <td><b>KGM</b></td><td>Kilograms</td></tr> <tr> <td><b>MTQ</b></td><td>Cubic meters</td></tr> <tr> <td><b>MTR</b></td><td>Linear meters</td></tr> <tr> <td><b>PCE</b></td><td>Pieces</td></tr> <tr> <td><b>PKG</b></td><td>Packages</td></tr> </table>	Applicable Codes		<b>KGM</b>	Kilograms	<b>MTQ</b>	Cubic meters	<b>MTR</b>	Linear meters	<b>PCE</b>	Pieces	<b>PKG</b>	Packages
Applicable Codes													
<b>KGM</b>	Kilograms												
<b>MTQ</b>	Cubic meters												
<b>MTR</b>	Linear meters												
<b>PCE</b>	Pieces												
<b>PKG</b>	Packages												
xs:sequence	<b>Occurrence</b> 1 .. 1												
<b>Quantity</b>	<p><b>Occurrence</b> 0 .. 1</p> <p><b>Type</b> xs:string</p> <p><b>General Notes</b> CONTROL TOTAL QUANTITY</p>												
<b>Documents</b>	<p><b>Occurrence</b> 0 .. 1</p> <p><b>Type</b> shipment:DocumentList</p> <p><b>General Notes</b> DOCUMENT INFORMATION For Sea freight only</p> <p><b>Examples</b></p> <pre> &lt;Documents&gt;   &lt;Document&gt;     &lt;DocumentCode&gt;OBL&lt;/DocumentCode&gt;     &lt;DocumentCopies&gt;3&lt;/DocumentCopies&gt;     &lt;DocumentOriginals&gt;2&lt;/DocumentOriginals&gt;   &lt;/Document&gt; &lt;/Documents&gt; </pre>												

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Examples</b> </Document> </Documents>
xs:sequence <b>Document</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:Document
xs:sequence <b>DocumentCode</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> DOCUMENT TYPE
	<b>Applicable Codes</b>
	<b>NMT</b> Non-negotiable maritime transport document <b>OBL</b> Original Bill Of Lading <b>T1</b> Despatch note model T1 <b>T2</b> Despatch note model T2 <b>T2L</b> Despatch note model T2L <b>T5</b> Control Document T5
<b>DocumentCopies</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> NUMBER OF DOCUMENT COPIES
<b>DocumentOriginals</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> NUMBER OF ORIGINAL DOCUMENTS
<b>Locations</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:LocationList <b>General Notes</b> DSV BRANCH LOCATION
	<b>Examples</b> <Locations> <Location Type="BranchLocation"> <LocationIdentification Type="DSVBranch"> <LocationIdentifier>HOR</LocationIdentifier> </LocationIdentification> </Location> </Locations>
xs:sequence <b>Location</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:Location
<i>Type</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> LOCATION TYPE
	<b>Applicable Codes</b>
	<b>BranchLocation</b> Branch Location
xs:sequence <b>LocationIdentification</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 1 .. unbounded <b>Type</b> sharedelements:LocationIdentification
<i>Type</i>	<b>Type</b> xs:string <b>General Notes</b> LOCATION IDENTIFIER TYPE
	<b>Applicable Codes</b>
	<b>DSVBranch</b> DSV Branch Code
xs:sequence <b>LocationIdentifier</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> :

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	LOCATION IDENTIFIER
<b>LocationName</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> LOCATION NAME
<b>TermsOfDelivery</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:TermsGroup <b>General Notes</b> TERMS OF DELIVERY  <b>Examples</b> <TermsOfDelivery> <Terms> <TermCode>CIP</TermCode> <CodeId>IncoTerms</CodeId> </Terms> <Location Type="NamedPlace"> <LocationIdentification Type="UN"> <LocationIdentifier>DKCPH</LocationIdentifier> <LocationName>Copenhagen</LocationName> </LocationIdentification> </Location> </TermsOfDelivery>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Terms</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:Terms
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>TermCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TERM CODE
<b>CodeId</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TYPE OF TERM CODE  <b>Applicable Codes</b> <b>CombiTerms</b> Combi Terms <b>IncoTerms</b> INCO Terms
<b>Location</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:Location
<i>Type</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> TERM NAMED PLACE  <b>Applicable Codes</b> <b>NamedPlace</b> Term Named Place
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>LocationIdentification</b>	<b>Occurrence</b> 1 .. unbounded <b>Type</b> sharedelements:LocationIdentification
<i>Type</i>	<b>Type</b> xs:string <b>General Notes</b> LOCATION IDENTIFIER TYPE  <b>Applicable Codes</b> <b>Name</b> Only Location Name provided <b>UN</b> UN Location Code
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>LocationIdentifier</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> LOCATION IDENTIFIER

Bold = Element, Italic = Attribute, Grey = Group





Element/Attribute	Annotation
LocationName	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> LOCATION NAME
References	Occurrence 0 .. 1 Type shipment:ReferenceGroupList <b>General Notes</b> SHIPMENT REFERENCES  <b>Examples</b> <References> <ReferenceGroup> <Reference Type="ShipperReference">ShpRef1</Reference> <Date Type="ReferenceDate" Format="Date"> <DateTime>20190203</DateTime> </Date> </ReferenceGroup> <ReferenceGroup> <Reference Type="ConsigneeReference">ConsRef1</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="RoadWaybill">Waybill1</Reference> <Date Type="ReferenceDate" Format="DateTimeSec"> <DateTime>2019021309000000</DateTime> </Date> </ReferenceGroup> </References> </ReferenceGroup> </References>
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded Type shipment:ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1 Type sharedelements:Reference <b>General Notes</b> SHIPMENT REFERENCE
Type	Type xs:string Use required <b>General Notes</b> SHIPMENT REFERENCE TYPE  Predefined Types listed, additional reference types to be agreed
<b>Applicable Codes</b>	
ASMShipmentId	Assembly Master Shipment Id
AgentsReference	Agent's reference
AviationSecurity	Aviation Security
CargoManifestNo	Cargo manifest number, Transport Id
ConsigneeOrderNumber	Consignee's order number
ConsigneeReference	Consignee Reference
ConsignmentId	Consignment id, carrier assigned
CustomerReferenceNumber	Customer reference number
DeliveryAgreement	Delivery Agreement
DocumentReference	Document Reference
EventCode	Event Code
ExternalReference	External customer reference number
GINCNumber	Waybill number, GINC
HazardousReference	Hazardous Reference
HouseBill	House bill of lading number
IDSReference	IDS reference
InspectionType	Inspection Type
MasterBill	Master bill of lading number

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
<b>Applicable Codes</b>	
<b>OnSightAuthorizationCode</b>	On sight authorization code
<b>OrderReference</b>	Order Reference
<b>RoadWaybill</b>	Road Waybill number, SIS
<b>ShipmentReference</b>	Shipment reference number
<b>ShipperReference</b>	Shipper Reference
<b>TransportInstructionNumber</b>	Transport instruction number
<b>VehicleId</b>	Vehicle identification number (VIN)
<b>VesselCountryOfRegistration</b>	Vessel Country of Registration
<b>VesselId</b>	Vessel identifier
<i>CustomFieldType</i>	<b>Type</b> xs:string <b>Use</b> optional <b>General Notes</b> CUSTOM FIELD TYPE Use to be agreed
<b>Date</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:Date <b>General Notes</b> REFERENCE DATE
<i>Type</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> REFERENCE DATE
<i>Format</i>	<b>Applicable Codes</b> <b>ReferenceDate</b> Reference Date <b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> REFERENCE DATE FORMAT
<i>xs:sequence</i>	<b>Applicable Codes</b>
<b>DateTime</b>	<b>DateTime</b> CCYYMMDDHHMM <b>DateTimeSec</b> CCYYMMDDHHMMSS <b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> REFERENCE DATE/TIME
<b>Requirements</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:RequirementList <b>General Notes</b> GOVERNMENT AND DOCUMENT REQUIREMENTS <b>Examples</b> <pre> &lt;Requirements&gt;   &lt;Requirement&gt;     &lt;GovernmentalRequirements&gt;       &lt;TransportMovementCode&gt;Transit&lt;/TransportMovementCode&gt;     &lt;/GovernmentalRequirements&gt;     &lt;Documents&gt;       &lt;Document&gt;         &lt;DocumentCode&gt;T5&lt;/DocumentCode&gt;       &lt;/Document&gt;     &lt;/Documents&gt;   &lt;/Requirement&gt; &lt;/Requirements&gt;           </pre>
<i>xs:sequence</i>	<b>Occurrence</b> 1 .. 1
<b>Requirement</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> shipment:Requirement
<i>xs:sequence</i>	<b>Occurrence</b> 1 .. 1
<b>GovernmentalRequirements</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:GovernmentalRequirements

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
<div> <div>xs:sequence</div> <div> <div>TransportMovementCode</div> <div>InvolvementCode</div> <div>Documents</div> <div> <div>xs:sequence</div> <div>Document</div> <div> <div>xs:sequence</div> <div>DocumentCode</div> </div> </div> </div> </div>	<div> <div>Occurrence</div> 1 .. 1 <div>Occurrence</div> 0 .. 1 <div>Type</div> xs:string <div>General Notes</div> TRANSPORT MOVEMENT TYPE <div>Applicable Codes</div> <div>Export</div> <div>Import</div> <div>Transit</div> </div> <div> <div>Occurrence</div> 0 .. 1 <div>Type</div> xs:string <div>General Notes</div> INVOLVEMENT CODE <div>Applicable Codes</div> <div>Completed</div> <div>NotApplicable</div> </div> <div> <div>Occurrence</div> 0 .. 1 <div>Type</div> shipment:DocumentList <div>General Notes</div> ROAD TRANSPORTATION DOCUMENT </div> <div> <div>Occurrence</div> 1 .. 1 <div>Occurrence</div> 0 .. unbounded <div>Type</div> sharedelements:Document </div> <div> <div>Occurrence</div> 1 .. 1 <div>Occurrence</div> 0 .. 1 <div>Type</div> xs:string <div>General Notes</div> ROAD TRANSPORTATION DOCUMENT TYPE <div>Applicable Codes</div> <div>T1</div> Despatch note model T1 <div>T2</div> Despatch note model T2 <div>T2L</div> Despatch note model T2L <div>T5</div> Control document T5 </div>
ChargeMethodology	<div> <div>Occurrence</div> 0 .. 1 <div>Type</div> shipment:ChargeMethodologyList <div>General Notes</div> CHARGE METHODOLOGY <div>Examples</div> <div>&lt;ChargeMethodology&gt;</div> <div>&lt;PaymentInstructions&gt;</div> <div>&lt;PaymentInstruction&gt;</div> <div>&lt;PaymentCode&gt;Prepaid&lt;/PaymentCode&gt;</div> <div>&lt;/PaymentInstruction&gt;</div> <div>&lt;/PaymentInstructions&gt;</div> <div>&lt;/ChargeMethodology&gt;</div> </div>
<div> <div>xs:sequence</div> <div>PaymentInstructions</div> <div> <div>xs:sequence</div> <div>PaymentInstruction</div> <div> <div>xs:sequence</div> <div>PaymentCode</div> </div> </div> </div>	<div> <div>Occurrence</div> 1 .. 1 <div>Occurrence</div> 0 .. unbounded <div>Type</div> shipment:PaymentInstructions </div> <div> <div>Occurrence</div> 1 .. 1 <div>Occurrence</div> 0 .. 1 <div>Type</div> sharedelements:PaymentInstruction </div> <div> <div>Occurrence</div> 1 .. 1 <div>Occurrence</div> 0 .. 1 <div>Type</div> xs:string <div>General Notes</div> PAYMENT TYPE <div>Applicable Codes</div> <div>Collect</div> Collect Shipment <div>Prepaid</div> Prepaid Shipment <div>ThirdParty</div> Third Party Payment </div>

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation												
<b>TransportStages</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:TransportStageList <b>General Notes</b> TRANSPORT STAGES												
xs:sequence	<b>Occurrence</b> 1 .. 1												
<b>TransportStage</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> shipment:TransportStage												
xs:sequence	<b>Occurrence</b> 1 .. 1												
<b>Stage</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:Stage <b>General Notes</b> TRANSPORTATION STAGE  <b>Examples</b> <Stage Type="MainCarriage"> <ModeOfTransport>Sea</ModeOfTransport> <TransportId>017W</TransportId> <CarrierId>61616161</CarrierId> <CarrierName>Carrier Name</CarrierName> <TransportType>Main</TransportType> <TransportMeansName>Vessel name</TransportMeansName> <TransportMeansNationality>PA</TransportMeansNationality> </Stage>												
Type	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> TRANSPORTATION STAGE TYPE  <b>Applicable Codes</b> <table> <tr> <td><b>MainCarriage</b></td><td>Main Carriage</td></tr> <tr> <td><b>PlannedLeg1</b></td><td>Main carriage - first carrier</td></tr> <tr> <td><b>PlannedLeg2</b></td><td>Main carriage - second carrier</td></tr> <tr> <td><b>PlannedLeg3</b></td><td>Main carriage - third carrier</td></tr> <tr> <td><b>PlannedLeg4</b></td><td>Main carriage - fourth carrier</td></tr> <tr> <td><b>PlannedLeg5</b></td><td>Main carriage - fifth carrier</td></tr> </table>	<b>MainCarriage</b>	Main Carriage	<b>PlannedLeg1</b>	Main carriage - first carrier	<b>PlannedLeg2</b>	Main carriage - second carrier	<b>PlannedLeg3</b>	Main carriage - third carrier	<b>PlannedLeg4</b>	Main carriage - fourth carrier	<b>PlannedLeg5</b>	Main carriage - fifth carrier
<b>MainCarriage</b>	Main Carriage												
<b>PlannedLeg1</b>	Main carriage - first carrier												
<b>PlannedLeg2</b>	Main carriage - second carrier												
<b>PlannedLeg3</b>	Main carriage - third carrier												
<b>PlannedLeg4</b>	Main carriage - fourth carrier												
<b>PlannedLeg5</b>	Main carriage - fifth carrier												
xs:sequence	<b>Occurrence</b> 1 .. 1												
<b>ModeOfTransport</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> MODE OF TRANSPORTATION  <b>Applicable Codes</b> <table> <tr> <td><b>Air</b></td><td>Air transportation</td></tr> <tr> <td><b>Rail</b></td><td>Rail transportation</td></tr> <tr> <td><b>Road</b></td><td>Road transportation</td></tr> <tr> <td><b>Sea</b></td><td>Sea transportation</td></tr> </table>	<b>Air</b>	Air transportation	<b>Rail</b>	Rail transportation	<b>Road</b>	Road transportation	<b>Sea</b>	Sea transportation				
<b>Air</b>	Air transportation												
<b>Rail</b>	Rail transportation												
<b>Road</b>	Road transportation												
<b>Sea</b>	Sea transportation												
<b>TransportId</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORT IDENTIFICATION Air: Flight number Sea: Voyage number Road: Not used												
<b>CarrierId</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> CARRIER IDENTIFICATION Air & Sea: DSV carrier identifier Road: Not used												
<b>CarrierName</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> CARRIER NAME Road: Not used												

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation												
<b>TransportType</b>	<p>Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TRANSPORT TYPE Road: Not used</p> <p><b>Applicable Codes</b></p> <table> <tr> <td><b>Flight1</b></td><td>First flight</td></tr> <tr> <td><b>Flight2</b></td><td>Second flight</td></tr> <tr> <td><b>Flight3</b></td><td>Third flight</td></tr> <tr> <td><b>Flight4</b></td><td>Fourth flight</td></tr> <tr> <td><b>Main</b></td><td>Main Carriage</td></tr> <tr> <td><b>Other</b></td><td>Other</td></tr> </table>	<b>Flight1</b>	First flight	<b>Flight2</b>	Second flight	<b>Flight3</b>	Third flight	<b>Flight4</b>	Fourth flight	<b>Main</b>	Main Carriage	<b>Other</b>	Other
<b>Flight1</b>	First flight												
<b>Flight2</b>	Second flight												
<b>Flight3</b>	Third flight												
<b>Flight4</b>	Fourth flight												
<b>Main</b>	Main Carriage												
<b>Other</b>	Other												
<b>TransportMeansName</b>	<p>Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TRANSPORT MEANS NAME Sea: Vessel Name Air &amp; Road: Not used</p>												
<b>TransportMeansNationality</b>	<p>Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TRANSPORT MEANS NATIONALITY Sea: Vessel flag Air &amp; Road: Not used</p>												
<b>Dates</b>	<p>Occurrence 0 .. 1 Type shipment:DateList <b>General Notes</b> TRANSPORTATION DATES</p> <p><b>Examples</b></p> <pre>&lt;Dates&gt;   &lt;Date Type="EstimatedDeparture" Format="Date"&gt;     &lt;DateTime&gt;20190225&lt;/DateTime&gt;   &lt;/Date&gt;   &lt;Date Type="EstimatedArrival" Format="Date"&gt;     &lt;DateTime&gt;20190301&lt;/DateTime&gt;   &lt;/Date&gt; &lt;/Dates&gt;</pre>												
xs:sequence													
<b>Date</b>	<p>Occurrence 1 .. 1 Occurrence 0 .. unbounded Type sharedelements:Date</p>												
<b>Type</b>	<p>Type xs:string Use required <b>General Notes</b> TRANSPORTATION DATE TYPE</p> <p><b>Applicable Codes</b></p> <table> <tr> <td><b>EstimatedDelivery</b></td><td>Delivery date/time, estimated</td></tr> <tr> <td><b>EstimatedDeparture</b></td><td>Estimated Time of Departure</td></tr> <tr> <td><b>ScheduledArrival</b></td><td>Scheduled Time of Arrival</td></tr> <tr> <td><b>ScheduledDeparture</b></td><td>Scheduled Time of Departure</td></tr> </table>	<b>EstimatedDelivery</b>	Delivery date/time, estimated	<b>EstimatedDeparture</b>	Estimated Time of Departure	<b>ScheduledArrival</b>	Scheduled Time of Arrival	<b>ScheduledDeparture</b>	Scheduled Time of Departure				
<b>EstimatedDelivery</b>	Delivery date/time, estimated												
<b>EstimatedDeparture</b>	Estimated Time of Departure												
<b>ScheduledArrival</b>	Scheduled Time of Arrival												
<b>ScheduledDeparture</b>	Scheduled Time of Departure												
<b>Format</b>	<p>Type xs:string Use required <b>General Notes</b> TRANSPORTATION DATE FORMAT</p> <p><b>Applicable Codes</b></p> <table> <tr> <td><b>DateTime</b></td><td>CCYYMMDDHHMM</td></tr> <tr> <td><b>DateTimeInterval</b></td><td>CCYYMMDDHHMM- CCYYMMDDHHMM</td></tr> <tr> <td><b>DateTimesec</b></td><td>CCYYMMDDHHMMSS</td></tr> </table>	<b>DateTime</b>	CCYYMMDDHHMM	<b>DateTimeInterval</b>	CCYYMMDDHHMM- CCYYMMDDHHMM	<b>DateTimesec</b>	CCYYMMDDHHMMSS						
<b>DateTime</b>	CCYYMMDDHHMM												
<b>DateTimeInterval</b>	CCYYMMDDHHMM- CCYYMMDDHHMM												
<b>DateTimesec</b>	CCYYMMDDHHMMSS												
xs:sequence													
<b>DateTime</b>	<p>Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string</p>												

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation												
	<b>General Notes</b> TRANSPORTATION DATE/TIME												
<b>Locations</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:LocationList <b>General Notes</b> TRANSPORTATION LOCATIONS <b>Examples</b> <Locations> <Location Type="Departure"> <LocationIdentification Type="UN"> <LocationIdentifier>DKHOR</LocationIdentifier> </LocationIdentification> </Location> <Location Type="Destination"> <LocationIdentification Type="UN"> <LocationIdentifier>ZAJNB</LocationIdentifier> <LocationName>Johannesburg</LocationName> </LocationIdentification> </Location> </Locations>												
xs:sequence	<b>Occurrence</b> 1 .. 1												
<b>Location</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:Location <b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> TRANSPORTATION LOCATION TYPE <b>Applicable Codes</b> <table> <tr><td><b>Departure</b></td><td>Place of Departure</td></tr> <tr><td><b>Destination</b></td><td>Place of Destination</td></tr> <tr><td><b>PlaceOfConsolidation</b></td><td>Place of Consolidation</td></tr> <tr><td><b>PlaceOfDeconsolidation</b></td><td>Place of Deconsolidation</td></tr> <tr><td><b>PlaceOfLoading</b></td><td>Place of Loading</td></tr> <tr><td><b>PlaceOfUnloading</b></td><td>Place of Unloading</td></tr> </table>	<b>Departure</b>	Place of Departure	<b>Destination</b>	Place of Destination	<b>PlaceOfConsolidation</b>	Place of Consolidation	<b>PlaceOfDeconsolidation</b>	Place of Deconsolidation	<b>PlaceOfLoading</b>	Place of Loading	<b>PlaceOfUnloading</b>	Place of Unloading
<b>Departure</b>	Place of Departure												
<b>Destination</b>	Place of Destination												
<b>PlaceOfConsolidation</b>	Place of Consolidation												
<b>PlaceOfDeconsolidation</b>	Place of Deconsolidation												
<b>PlaceOfLoading</b>	Place of Loading												
<b>PlaceOfUnloading</b>	Place of Unloading												
Type	<b>Type</b> xs:string												
xs:sequence	<b>Occurrence</b> 1 .. 1												
<b>LocationIdentification</b>	<b>Occurrence</b> 1 .. unbounded <b>Type</b> sharedelements:LocationIdentification <b>General Notes</b> LOCATION IDENTIFICATION <b>Type</b> xs:string <b>General Notes</b> LOCATION IDENTIFIER TYPE <b>Applicable Codes</b> <table> <tr><td><b>IATA</b></td><td>IATA airport code</td></tr> <tr><td><b>UN</b></td><td>UN Location code</td></tr> </table>	<b>IATA</b>	IATA airport code	<b>UN</b>	UN Location code								
<b>IATA</b>	IATA airport code												
<b>UN</b>	UN Location code												
Type	<b>Type</b> xs:string												
xs:sequence	<b>Occurrence</b> 1 .. 1												
<b>LocationIdentifier</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> LOCATION IDENTIFIER												
LocationName	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> LOCATION NAME												
<b>References</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:ReferenceGroupList <b>General Notes</b> TRANSPORTATION STAGE REFERENCES <b>Examples</b> <References> <ReferenceGroup>												

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Examples</b> <Reference Type="MasterBill">Master1</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="TransportMasterType">AGT</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="TransportInstructionNumber">TIN1</Reference> </ReferenceGroup> </References>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>ReferenceGroup</b>	<b>Occurrence</b> 0 .. unbounded
	<b>Type</b> shipment:ReferenceGroup
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Reference</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> sharedelements:Reference
	<b>General Notes</b> TRANSPORTATION STAGE REFERENCE
Type	<b>Type</b> xs:string
	<b>Use</b> required
	<b>General Notes</b> TRANSPORTATION STAGE REFERENCE TYPE
<b>Applicable Codes</b>	
<b>AgentsReference</b>	Agent's reference
<b>CargoManifestNo</b>	Cargo manifest number, Transport Id
<b>ConsigneeReference</b>	Consignee Reference
<b>ConsignmentId</b>	Consignment id, carrier assigned
<b>DeliveryAgreement</b>	Delivery Agreement
<b>ExternalReference</b>	External customer reference number
<b>GINCNumber</b>	Waybill number, GINC
<b>HouseBill</b>	House bill of lading number
<b>IDSReference</b>	IDS reference
<b>MasterBill</b>	Master bill of lading number
<b>OrderReference</b>	Order Reference
<b>RoadWaybill</b>	Road Waybill number, SIS
<b>ShipmentReference</b>	Shipment reference number
<b>ShipperReference</b>	Shipper Reference
<b>TransportInstructionNumber</b>	Transport instruction number
<b>VehicleId</b>	Vehicle identification number ( VIN)
<b>VesselCountryOfRegistration</b>	Vessel Country of Registration
<b>VesselId</b>	Vessel identifier
<b>Parties</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> shipment:PartiesList
	<b>General Notes</b> SHIPMENT PARTY INFORMATION
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Party</b>	<b>Occurrence</b> 0 .. unbounded
	<b>Type</b> shipment:Party
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>PartyDetails</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> sharedelements:PartyDetails
	<b>General Notes</b> PARTY DETAILS
	<b>Examples</b> <PartyDetails Role="Consignor"> <Id>ConsignorID</Id> <Assignor>Consignor</Assignor> <PartyName>Consignor Name</PartyName> <AddressLine1>Consignor Addr Line 1</AddressLine1> <AddressLine2>Consignor Addr Line 2</AddressLine2>

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>Examples</b> <AddressLine3>Consignor Addr Line 3</AddressLine3> <CityName>Consignor City</CityName> <State>Consignor State</State> <PostCode>PostCd</PostCode> <CountryCode>DK</CountryCode> </PartyDetails>
<i>Role</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> PARTY ROLE <b>Applicable Codes</b> <b>AcceptingParty</b> Accepting Party <b>Agent</b> Agent <b>Buyer</b> Buyer <b>Carrier</b> Carrier Party <b>Consignee</b> Consignee Party <b>Consignor</b> Consignor Party <b>Consolidator</b> Consolidator <b>Contractor</b> Contractor <b>DSVOperator</b> DSV Operator <b>Deconsolidator</b> Deconsolidator <b>Delivery</b> Delivery Party <b>DeliveryAgent</b> Delivery Agent <b>DeliveryLocalCartage</b> Delivery Local Cartage <b>Despatch</b> Despatch Party <b>ExportBroker</b> Export Customs Broker <b>Forwarder</b> Forwarder <b>FreightForwarder</b> Freight Forwarder <b>FreightPayer</b> Freight/charges Payer <b>ImportBroker</b> Import Customs Broker <b>Notify</b> Notify Party <b>OrderingCustomer</b> Ordering Customer <b>PickupAgent</b> Pickup Agent <b>PickupLocalCartage</b> Pickup Local Cartage <b>ShipFrom</b> Ship From <b>ShipTo</b> Ship To <b>Supplier</b> Supplier
xs:sequence	<b>Occurrence</b> 1 .. 1
<i>Id</i>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY IDENTIFIER
<i>Assignor</i>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY IDENTIFIER ASSIGNOR <b>Applicable Codes</b> <b>Consignor</b> Consignor assigned <b>DSV</b> DSV assigned <b>GS1</b> GS1 assigned
<i>PartyName</i>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY NAME
<i>AddressLine1</i>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY ADDRESS LINE 1
<i>AddressLine2</i>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>General Notes</b> PARTY ADDRESS LINE 2
<b>AddressLine3</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY ADDRESS LINE 3
<b>CityName</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY CITY NAME
<b>State</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY STATE OR PROVINCE
<b>PostCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY POST OR ZIP CODE
<b>CountryCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY LOCATION ISO COUNTRY CODE
<b>Locations</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:LocationList <b>General Notes</b> PHYSICAL LOCATION  <b>Examples</b> <Locations> <Location Type="PhysicalLocation"> <LocationIdentification Type="UN"> <LocationIdentifier>DKHOR</LocationIdentifier> </LocationIdentification> </Location> </Locations>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Location</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:Location
<b>Type</b>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> PHYSICAL LOCATION TYPE  <b>Applicable Codes</b> <b>PhysicalLocation</b> Place of Physical Location
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>LocationIdentification</b>	<b>Occurrence</b> 1 .. unbounded <b>Type</b> sharedelements:LocationIdentification
<b>Type</b>	<b>Type</b> xs:string <b>General Notes</b> PHYSICAL LOCATION IDENTIFIER TYPE  <b>Applicable Codes</b> <b>UN</b> UN Location Code
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>LocationIdentifier</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PHYSICAL LOCATION IDENTIFIER
<b>Contact</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:Contact <b>General Notes</b> PARTY CONTACT DETAILS  <b>Examples</b> <Contact Type="InformationContact">

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Examples</b> <Name>Contact name</Name> <Phone>Contact Phone</Phone> <Mobile>Contact Mobile</Mobile> <Fax>Contact Fax</Fax> <Email>Contact Email</Email> </Contact>
Type	Type xs:string Use required <b>General Notes</b> PARTY CONTACT TYPE
xs:sequence	
Name	<b>Applicable Codes</b> <b>GoodsReceivingContact</b> Goods Receiving Contact <b>InformationContact</b> Party Information Contact Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY CONTACT NAME
Phone	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY CONTACT PHONE NUMBER
Mobile	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY CONTACT MOBILE NUMBER
Fax	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY CONTACT FAX NUMBER
Email	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY CONTACT E-MAIL ADDRESS
GoodsItems	Occurrence 0 .. 1 Type shipment:GoodsItemList <b>General Notes</b> SHIPMENT LINE ITEMS
xs:sequence	
GoodsItem	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type shipment:GoodsItem
xs:sequence	
Item	Occurrence 1 .. 1 Occurrence 0 .. 1 Type sharedelements:Item <b>General Notes</b> GOODS ITEM DETAILS <b>Examples</b> <Item> <ItemNumber>1</ItemNumber> <PackageQty>20</PackageQty> <PackageType>PKG</PackageType> </Item>
xs:sequence	
ItemNumber	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string <b>General Notes</b> LINE ITEM NUMBER
PackageQty	Occurrence 0 .. 1 Type xs:string

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
<b>PackageType</b>	<b>General Notes</b> LINE ITEM PACKAGE QUANTITY <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> LINE ITEM PACKAGE TYPE
<b>HandlingInstructions</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:HandlingInstructions <b>General Notes</b> LINE ITEM HANDLING INSTRUCTION Only used for Road Freight Stacked Cargo <b>Examples</b> <pre> &lt;HandlingInstructions&gt;   &lt;HandlingInstruction&gt;     &lt;DescriptionCode&gt;Stacked&lt;/DescriptionCode&gt;     &lt;Description&gt;10&lt;/Description&gt;   &lt;/HandlingInstruction&gt; &lt;/HandlingInstructions&gt;           </pre>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>HandlingInstruction</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:HandlingInstruction
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>DescriptionCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> HANDLING DESCRIPTION CODE <b>Applicable Codes</b> <b>Stacked</b> Stacked Cargo
<b>Description</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> HANDLING DESCRIPTION Number of stacked units
<b>RangeDetails</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:RangeDetails <b>General Notes</b> LINE ITEM TEMPERATURE RANGE <b>Examples</b> <pre> &lt;RangeDetails Type="Allowance" Uom="CEL"&gt;   &lt;Minimum&gt;-5&lt;/Minimum&gt;   &lt;Maximum&gt;5&lt;/Maximum&gt; &lt;/RangeDetails&gt;           </pre>
<b>Type</b>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> TEMPERATURE RANGE TYPE <b>Applicable Codes</b> <b>Allowance</b> Temperature Range Allowance
<b>Uom</b>	<b>Type</b> xs:string <b>General Notes</b> TEMPERATURE RANGE UNIT OF MEASURE <b>Applicable Codes</b> <b>CEL</b> Celsius <b>FAH</b> Fahrenheit
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Minimum</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> MINIMUM TEMPERATAURE

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
<b>Maximum</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> MAXIMUM TEMPERATURE
<b>Locations</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:LocationList <b>General Notes</b> LINE ITEM COUNTRY OF ORIGIN  <b>Examples</b> <Locations> <Location Type="CountryOfOrigin"> <LocationIdentification Type="ISOCountry"> <LocationIdentifier>DK</LocationIdentifier> </LocationIdentification> </Location> </Locations>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Location</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:Location <b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> LOCATION TYPE  <b>Applicable Codes</b> <b>CountryOfOrigin</b> Line item Country of Origin
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>LocationIdentification</b>	<b>Occurrence</b> 1 .. unbounded <b>Type</b> sharedelements:LocationIdentification <b>Type</b> xs:string <b>General Notes</b> LOCATION IDENTIFIER TYPE  <b>Applicable Codes</b> <b>ISOCountry</b> ISO Country Code
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>LocationIdentifier</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> LOCATION IDENTIFIER ISO Country Code for Country of Origin
<b>MonetaryAmounts</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:MonetaryAmountList <b>General Notes</b> LINE ITEM MONETARY AMOUNTS  <b>Examples</b> <MonetaryAmounts> <MonetaryAmount Type="LineInvoiceValue"> <Amount>100.01</Amount> <Currency>DKK</Currency> </MonetaryAmount> </MonetaryAmounts>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>MonetaryAmount</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:MonetaryAmount <b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> MONETARY AMOUNT TYPE  <b>Applicable Codes</b> <b>LineInvoiceValue</b> Line Item Invoice Value
xs:sequence	<b>Occurrence</b> 1 .. 1

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
<b>Amount</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> MONETARY AMOUNT
<b>Currency</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> MONETARY AMOUNT ISO CURRENCY CODE
<b>ProductIds</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:ProductIdsList <b>General Notes</b> LINE ITEM PRODUCT IDENTIFICATION  <b>Examples</b> <ProductIds> <ProductId Type="ProductId"> <ItemId>35079090</ItemId> <ItemType>HarmonizedCode</ItemType> </ProductId> </ProductIds>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>ProductId</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:ProductId <b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> PRODUCT IDENTIFICATION TYPE  <b>Applicable Codes</b> <b>ProductId</b> Product Identification
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>ItemId</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PRODUCT IDENTIFICATION
<b>ItemType</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PRODUCT IDENTIFIER TYPE  <b>Applicable Codes</b> <b>CommodityCode</b> Commodity Code <b>HarmonizedCode</b> Harmonized Tariff Code
<b>FreeTextData</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:FreeTextList <b>General Notes</b> LINE ITEM FREE TEXT  <b>Examples</b> <FreeTextData> <FreeText Type="GoodsDescription"> <TextLine1>Goods Description Line</TextLine1> </FreeText> <FreeText Type="AdditionalDetails"> <TextLine1>Additional Details Line</TextLine1> </FreeText> </FreeTextData>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>FreeText</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:FreeText <b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> FREE TEXT TYPE
<b>Type</b>	

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
<b>Applicable Codes</b>	
<b>AdditionalDetails</b>	Additional Details
<b>DeliveryInstructions</b>	Delivery Instructions
<b>DeliveryRemarks</b>	Delivery Remarks
<b>GeneralInformation</b>	General information
<b>GoodsDescription</b>	Goods Description
<b>NatureOfGoods</b>	Nature Of Goods
<b>SpecialHandling</b>	Special Handling
<b>SpecialInstructions</b>	Special Instructions
xs:sequence	Occurrence 1 .. 1
TextLine1	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> FREE TEXT LINE 1
TextLine2	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> FREE TEXT LINE 2
TextLine3	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> FREE TEXT LINE 3
TextLine4	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> FREE TEXT LINE 4
TextLine5	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> FREE TEXT LINE 5
Measurements	Occurrence 0 .. 1 Type shipment:MeasurementsList <b>General Notes</b> LINE ITEM MEASUREMENTS  <b>Examples</b> <Measurements> <Measurement Type="GrossWeight" Uom="KGM"> <Measure>10.03</Measure> </Measurement> <Measurement Type="NetWeight" Uom="KGM"> <Measure>8.03</Measure> </Measurement> <Measurement Type="Volume" Uom="MTQ"> <Measure>2.03</Measure> </Measurement> <Measurement Type="LoadingMeters" Uom="MTR"> <Measure>2.05</Measure> </Measurement> <Measurement Type="PalletSpaces" Uom="PLL"> <Measure>5</Measure> </Measurement> </Measurements>
xs:sequence	Occurrence 1 .. 1
Measurement	Occurrence 0 .. unbounded Type sharedelements:Measurement
Type	Type xs:string Use required <b>General Notes</b> MEASUREMENT TYPE
<b>Applicable Codes</b>	
<b>GrossWeight</b>	Line Item Gross Weight
<b>LoadingMeters</b>	Line Item Loading Meters

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Applicable Codes</b> <b>NetWeight</b> Line Item Net Weight <b>PalletSpaces</b> Line Item Pallet Spaces <b>Volume</b> Line Item Volume
<i>Uom</i>	Type xs:string <b>General Notes</b> MEASUREMENT UNIT OF MEASURE <b>Applicable Codes</b> <b>KGM</b> Kilograms <b>MTQ</b> Cubic Meters <b>MTR</b> Linear Meters <b>PLL</b> Pallets
xs:sequence	
<b>Measure</b>	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string <b>General Notes</b> MEASUREMENT VALUE
<b>Dimensions</b>	Occurrence 0 .. 1 Type shipment:DimensionsList <b>General Notes</b> LINE ITEM DIMENSIONS <b>Examples</b> <Dimensions> <Dimension Type="Gross" Uom="MTR"> <Length>0.6</Length> <Width>0.2</Width> <Height>0.8</Height> </Dimension> </Dimensions>
xs:sequence	
<b>Dimension</b>	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type sharedelements:Dimension Type xs:string Use required <b>General Notes</b> DIMENSION TYPE <b>Applicable Codes</b> <b>Gross</b> Line Item Gross Dimensions
<i>Uom</i>	Type xs:string <b>General Notes</b> DIMENSIONS UNIT OF MEASURE <b>Applicable Codes</b> <b>CMT</b> Centimeters <b>MTR</b> Meters
xs:sequence	
<b>Length</b>	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string <b>General Notes</b> DIMENSION - LENGTH
<b>Width</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> DIMENSION - WIDTH
<b>Height</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> DIMENSION - HEIGHT
<b>NumberOfUnits</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> DIMENSION - NUMBER OF UNITS

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
<b>References</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:ReferenceGroupList <b>General Notes</b> GOODS ITEM REFERENCES  <b>Examples</b> <References> <ReferenceGroup> <Reference Type="PackageNumber">Pkg1</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="PackageNumber">Pkg2</Reference> </ReferenceGroup> </References>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>ReferenceGroup</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> shipment:ReferenceGroup
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Reference</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:Reference <b>General Notes</b> GOODS ITEM REFERENCE
Type	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> GOODS ITEM REFERENCE TYPE
<b>Applicable Codes</b>	
<b>PackListLineId</b>	Pack List Line Identifier
<b>PackageNumber</b>	Package Number
<b>Packagelds</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:Packagelds <b>General Notes</b> PACKAGE IDENTIFICATION AND MARKINGS  <b>Examples</b> <Packagelds> <Packageld> <InstructionCode>PackageMarks</InstructionCode> <Marks> <ShippingMark>Package1</ShippingMark> <ShippingMark>Package2</ShippingMark> <ShippingMark>Package3</ShippingMark> </Marks> </Packageld> <GoodsIdentities Type="SerialNumber"> <GoodsIdentifier>00034306500101392630</GoodsIdentifier> <GoodsIdentifier>00034306500101392647</GoodsIdentifier> <GoodsIdentifier>00034306500101392654</GoodsIdentifier> </GoodsIdentities> <GoodsIdentities Type="SSCC"> <GoodsIdentifier>370716481208016082</GoodsIdentifier> <GoodsIdentifier>370716481208016099</GoodsIdentifier> <GoodsIdentifier>373323991620976376</GoodsIdentifier> </GoodsIdentities> </Packagelds>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Packageld</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:Packageld <b>General Notes</b> PACKAGE MARKS & NUMBERS
xs:sequence	<b>Occurrence</b> 1 .. 1

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
<b>InstructionCode</b>	Occurrence 1 .. 1 Type xs:string <b>General Notes</b> PACKAGE MARKS TYPE <b>Applicable Codes</b> <b>PackageMarks</b> Package Marks and Numbers
<b>Marks</b>	Occurrence 0 .. 1 Type sharedelements:Marks
xs:sequence	Occurrence 1 .. 1
<b>ShippingMark</b>	Occurrence 1 .. unbounded Type xs:string <b>General Notes</b> PACKAGE MARK
<b>GoodsIdentities</b>	Occurrence 0 .. unbounded Type sharedelements:GoodsIdentity <b>General Notes</b> PACKAGE BAR CODES
<i>Type</i>	Type xs:string Use required <b>General Notes</b> TYPE OF IDENTIFIER <b>Applicable Codes</b> <b>SSCC</b> Serial Shipping Container Code <b>SerialNumber</b> Package/Pallet Serial Number
xs:sequence	Occurrence 1 .. 1
<b>GoodsIdentifier</b>	Occurrence 1 .. unbounded Type xs:string <b>General Notes</b> GOODS IDENTIFIER SSCC codes should not include the leading "00" qualifier, length of value should be 18 characters
<b>GoodsPlacementIds</b>	Occurrence 0 .. 1 Type sharedelements:GoodsPlacementIds <b>General Notes</b> GOODS PLACEMENT For containerized Sea Freight, container number the line item is packed in <b>Examples</b> <GoodsPlacementIds> <GoodsPlacementId>MSCU1234567</GoodsPlacementId> </GoodsPlacementIds>
xs:sequence	Occurrence 1 .. 1
<b>GoodsPlacementId</b>	Occurrence 1 .. unbounded Type xs:string <b>General Notes</b> SHIPPING CONTAINER NUMBER
<b>DangerousGoodsDetails</b>	Occurrence 0 .. 1 Type shipment:DangerousGoodsDetailList <b>General Notes</b> DANGEROUS / HAZARDOUS GOODS DETAILS Only include if line item contains dangerous/hazardous cargo
xs:sequence	Occurrence 1 .. 1
<b>DangerousGoodsDetail</b>	Occurrence 0 .. unbounded Type shipment:DangerousGoodsDetail
xs:sequence	Occurrence 1 .. 1
<b>DangerousGoods</b>	Occurrence 0 .. 1 Type sharedelements:DangerousGoods <b>General Notes</b> DANGEROUS GOODS INFORMATION

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Examples</b> <DangerousGoods> <Regulation>ADR</Regulation> <HazardClass>9</HazardClass> <AdditionalHazardClass>3</AdditionalHazardClass> <HazardVersionId>5</HazardVersionId> <UNDGNumber>3082</UNDGNumber> <FlashPointDescription>FlashDesc</FlashPointDescription> <FlashPointTemperature FlashpointUom="CEL">10</FlashPointTemperature> <DangerLevelCode>III</DangerLevelCode> <EMSNumber>EMS No</EMSNumber> <MFAGNumber>MFAG No</MFAGNumber> <TremCardNumber>Trem No</TremCardNumber> <UpperPlate>Upper</UpperPlate> <LowerPlate>Lower</LowerPlate> <Labels> <Label>Lab1</Label> </Labels> <TunnelCode>E</TunnelCode> </DangerousGoods>
xs:sequence	Occurrence 1 .. 1
<b>Regulation</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> DANGEROUS GOODS REGULATION TYPE <b>Applicable Codes</b> ADR European Road Agreement IMO IMO IMDG
<b>HazardClass</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> HAZARDOUS CLASS
<b>AdditionalHazardClass</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> ADDITIONAL HAZARDOUS CLASS / SUBRISK
<b>HazardVersionId</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> HAZARDOUS VERSION ID
<b>UNDGNumber</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> UNDG NUMBER
<b>FlashPointDescription</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> FLASH POINT DESCRIPTION
<b>FlashPointTemperature</b>	Occurrence 0 .. 1 Type extension (xs:string) <b>General Notes</b> FLASHPOINT TEMPERATURE Integer value only
<i>FlashpointUom</i>	Type xs:string <b>General Notes</b> FLASHPOINT TEMPERATURE UNIT OF MEASURE <b>Applicable Codes</b> CEL Celsius FAH Fahrenheit
<b>DangerLevelCode</b>	Occurrence 0 .. 1 Type xs:string

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>General Notes</b> DANGER LEVEL CODE / PACKING GROUP <b>Applicable Codes</b> I Packing Group I - Great danger II Packing Group II - Medium danger III Packing Group III - Minor danger
EMSNumber	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> EMERGENCY SCHEDULE NUMBER
MFAGNumber	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> MEDICAL FIRST AID GUIDE
TremCardNumber	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TREMCARD NUMBER
UpperPlate	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> ORANGE HAZARD PLACARD UPPER PLATE
LowerPlate	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> ORANGE HAZARD PLACARD LOWER PLATE
Labels	Occurrence 0 .. 1 <b>General Notes</b> HAZARDOUS LABELS
xs:sequence	Occurrence 1 .. 1
Label	Occurrence 1 .. 4 Type xs:string <b>General Notes</b> HAZARDOUS LABEL
PackingInstruction	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PACKING INSTRUCTION
TransportMeansCode	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TRANSPORT MEANS CODE <b>Applicable Codes</b> ContainerVessel Container Vessel GeneralVessel General Cargo Vessel Train Train transportation Truck Truck transportation
TunnelCode	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TUNNEL CODE
FreeTextData	Occurrence 0 .. 1 Type shipment:FreeTextList <b>General Notes</b> DANGEROUS GOODS FREE TEXT  <b>Examples</b> <FreeTextData> <FreeText Type="MarinePollutant"> <TextLine>MP</TextLine> </FreeText> <FreeText Type="ProperShippingName"> <TextLine>Proper Shipping Name</TextLine> </FreeText> <FreeText Type="TechnicalName">

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Examples</b> <TextLine>Technical Name</TextLine> </FreeText> <FreeText Type="IntTechnicalName"> <TextLine>Int Technical Name</TextLine> </FreeText> <FreeText Type="DGAdditionalInfo"> <TextLine>DG Additional Info Line</TextLine> </FreeText> </FreeTextData>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>FreeText</b>	<b>Occurrence</b> 0 .. unbounded
	<b>Type</b> sharedElements:FreeText
Type	xs:string
Use	required
	<b>General Notes</b> FREE TEXT TYPE
	<b>Applicable Codes</b>
	<b>DGAdditionalInfo</b> Additional Dangerous Goods Information
	<b>GoodsDescription</b> Goods Description
	<b>IntTechnicalName</b> Dangerous Goods Int. Technical Name
	<b>MarinePollutant</b> Marine Pollutant
	<b>ProperShippingName</b> Dangerous Goods Proper Shipping Name
	<b>TechnicalName</b> Dangerous Goods Technical Name
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>TextLine1</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> DG FREE TEXT LINE 1
<b>TextLine2</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> DG FREE TEXT LINE 2
<b>TextLine3</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> DG FREE TEXT LINE 3
<b>TextLine4</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> DG FREE TEXT LINE 4
<b>TextLine5</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> DG FREE TEXT LINE 5
<b>Measurements</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> shipment:MeasurementsList
	<b>General Notes</b> DANGEROUS GOODS MEASUREMENTS
	<b>Examples</b> <Measurements> <Measurement Type="NetNetWeight" Uom="KGM"> <Measure>5.01</Measure> </Measurement> <Measurement Type="ExplosiveWeight" Uom="KGM"> <Measure>2.02</Measure> </Measurement> <Measurement Type="NumberOfPackages" Uom="PKG">

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Examples</b> <Measure>3</Measure> </Measurement> <Measurement Type="Volume" Uom="MTQ"> <Measure>2.002</Measure> </Measurement> </Measurements>
xs:sequence	Occurrence 1 .. 1
<b>Measurement</b>	Occurrence 0 .. unbounded Type sharedelements:Measurement
Type	Type xs:string Use required <b>General Notes</b> MEASUREMENT TYPE
	<b>Applicable Codes</b> <b>ExplosiveWeight</b> Dangerous Goods Explosive Weight <b>LoadingMeters</b> Loading Meters <b>NetNetWeight</b> Dangerous Goods Net Weight <b>NumberOfPackages</b> Number of Dangerous Goods Packages <b>Volume</b> Volume
Uom	Type xs:string <b>General Notes</b> MEASUREMENT UNIT OF MEASURE
	<b>Applicable Codes</b> <b>KGM</b> Kilograms <b>MTQ</b> Cubic meters <b>MTR</b> Meters <b>PCE</b> Pieces
xs:sequence	Occurrence 1 .. 1
<b>Measure</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> MEASURE
<b>EquipmentUnits</b>	Occurrence 0 .. 1 Type shipment:EquipmentUnitsList <b>General Notes</b> EQUIPMENT INFORMATION
xs:sequence	Occurrence 1 .. 1
<b>EquipmentUnit</b>	Occurrence 0 .. unbounded Type shipment:EquipmentUnit <b>General Notes</b> EQUIPMENT UNIT DETAILS
	<b>Examples</b> For containerized sea freight:  <EquipmentUnit> <EquipmentType> <Type>Container</Type> <UnitId>MSCU1234567</UnitId> <SizeTypeCode>40GP</SizeTypeCode> </EquipmentType> <SealIds> <Seal> <SealId>Seal1</SealId> <SealParty>Shipper</SealParty> </Seal> </SealIds> </EquipmentUnit>

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation														
	<b>Examples</b> For EUR pallet road freight: <pre> &lt;EquipmentUnit&gt;   &lt;EquipmentType&gt;     &lt;Type&gt;EFP&lt;/Type&gt;   &lt;/EquipmentType&gt;   &lt;NumberOfUnits&gt;3&lt;/NumberOfUnits&gt; &lt;/EquipmentUnit&gt;           </pre>														
xs:sequence	Occurrence 1 .. 1														
<b>EquipmentType</b>	Occurrence 0 .. 1														
	Type sharedelements:EquipmentType														
	<b>General Notes</b> EQUIPMENT TYPE INFORMATION														
xs:sequence	Occurrence 1 .. 1														
<b>Type</b>	Occurrence 0 .. 1														
	Type xs:string														
	<b>General Notes</b> EQUIPMENT TYPE														
	<b>Applicable Codes</b>														
	<table> <tr> <td><b>Container</b></td><td>Shipping Container</td></tr> <tr> <td><b>EFP</b></td><td>Euro Flat Pallet</td></tr> <tr> <td><b>EUR</b></td><td>Euro Pallet</td></tr> </table>	<b>Container</b>	Shipping Container	<b>EFP</b>	Euro Flat Pallet	<b>EUR</b>	Euro Pallet								
<b>Container</b>	Shipping Container														
<b>EFP</b>	Euro Flat Pallet														
<b>EUR</b>	Euro Pallet														
<b>UnitId</b>	Occurrence 0 .. 1														
	Type xs:string														
	<b>General Notes</b> SHIPPING CONTAINER NUMBER														
<b>SizeTypeCode</b>	Occurrence 0 .. 1														
	Type xs:string														
	<b>General Notes</b> CONTAINER SIZE AND TYPE														
	DSV specified Container Type for Shipping Container														
	<b>Applicable Codes</b>														
	<table> <tr> <td><b>20GP</b></td><td>20 ft General Purpose</td></tr> <tr> <td><b>20RE</b></td><td>20 ft Reefer</td></tr> <tr> <td><b>40GP</b></td><td>40 ft General Purpose</td></tr> <tr> <td><b>40HC</b></td><td>40 ft High Cube</td></tr> <tr> <td><b>40NOR</b></td><td>40 ft high Cube, self powered Reefer</td></tr> <tr> <td><b>40RE</b></td><td>40 ft Reefer</td></tr> <tr> <td><b>40REHC</b></td><td>40 ft High Cube Reefer</td></tr> </table>	<b>20GP</b>	20 ft General Purpose	<b>20RE</b>	20 ft Reefer	<b>40GP</b>	40 ft General Purpose	<b>40HC</b>	40 ft High Cube	<b>40NOR</b>	40 ft high Cube, self powered Reefer	<b>40RE</b>	40 ft Reefer	<b>40REHC</b>	40 ft High Cube Reefer
<b>20GP</b>	20 ft General Purpose														
<b>20RE</b>	20 ft Reefer														
<b>40GP</b>	40 ft General Purpose														
<b>40HC</b>	40 ft High Cube														
<b>40NOR</b>	40 ft high Cube, self powered Reefer														
<b>40RE</b>	40 ft Reefer														
<b>40REHC</b>	40 ft High Cube Reefer														
<b>ISOCode</b>	Occurrence 0 .. 1														
	Type xs:string														
	<b>General Notes</b> SHIPPING CONTAINER ISO CODE														
<b>NumberOfUnits</b>	Occurrence 0 .. 1														
	Type xs:decimal														
	<b>General Notes</b> NUMBER OF UNITS														
	For Road freight pallets														
	Only used for Returnable items.														
<b>Measurements</b>	Occurrence 0 .. 1														
	Type shipment:MeasurementsList														
	<b>General Notes</b> EQUIPMENT MEASUREMENTS														
xs:sequence	Occurrence 1 .. 1														
<b>Measurement</b>	Occurrence 0 .. unbounded														
	Type sharedelements:Measurement														
<b>Type</b>	Type xs:string														
	Use required														
	<b>General Notes</b> EQUIPMENT MEASUREMENT TYPE														

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
<div> <div>Uom</div> <div>xs:sequence</div> <div>Measure</div> </div>	<b>Applicable Codes</b> <b>EquipmentGrossWeight</b> Equipment Gross Weight Type xs:string <b>General Notes</b> EQUIPMENT MEASUREMENT UNIT OF MEASURE
	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string <b>General Notes</b> EQUIPMENT MEASUREMENT
	<b>SealIds</b> Occurrence 0 .. 1 Type shipment:SealList <b>General Notes</b> SEAL IDS
	<div> <div>xs:sequence</div> <div>Seal</div> </div> Occurrence 1 .. 1 Occurrence 0 .. unbounded Type sharedelements:Seal <b>General Notes</b> SEAL INFORMATION FOR SHIPPING CONTAINERS
	<div> <div>xs:sequence</div> <div>SealId</div> </div> Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string <b>General Notes</b> SEAL NUMBER
	<div> <div>SealParty</div> </div> Occurrence 0 .. 1 Type xs:string <b>General Notes</b> SEALING PARTY
	<b>Applicable Codes</b> <b>Shipper</b> Shipper Sealing Party Occurrence 0 .. 1 Type shipment:ReferenceGroupList <b>General Notes</b> EQUIPMENT REFERENCES
	<b>Examples</b> <References> <ReferenceGroup> <Reference Type="PackingMode">FCL</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="DeliveryMode">FCL</Reference> </ReferenceGroup> </References>
	<div> <div>xs:sequence</div> <div>ReferenceGroup</div> </div> Occurrence 1 .. 1 Occurrence 0 .. unbounded Type shipment:ReferenceGroup
	<div> <div>xs:sequence</div> <div>Reference</div> </div> Occurrence 1 .. 1 Occurrence 0 .. 1 Type sharedelements:Reference <b>General Notes</b> EQUIPMENT REFERENCE
<div> <div>Type</div> </div>	Type xs:string Use required <b>General Notes</b> EQUIPMENT REFERENCE TYPE
<div> <div>Dates</div> </div>	<b>Applicable Codes</b> <b>DeliveryMode</b> Container Delivery Mode <b>PackingMode</b> Container Packing Mode
	Occurrence 0 .. 1 Type shipment:DateList <b>General Notes</b> CONTAINER DATES

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Examples</b> <Dates> <Date Type="EstimatedCollection" Format="Date"> <DateTime>20190225</DateTime> </Date> <Date Type="ActualDelivery" Format="Date"> <DateTime>20190301</DateTime> </Date> </Dates>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Date</b>	<b>Occurrence</b> 0 .. unbounded
Type	sharedelements:Date
Type	xs:string
Use	required
	<b>General Notes</b> CONTAINER DATE TYPE
	<b>Applicable Codes</b> <b>ActualCollection</b> Actual Collection <b>ActualDelivery</b> Actual Delivery <b>EstimatedCollection</b> Estimated Collection <b>EstimatedDelivery</b> Estimated Delivery <b>EstimatedFullPickup</b> Estimated Full Pickup <b>FCLAvailable</b> FCL Available <b>FCLStorage</b> FCL Storage <b>LCLAvailable</b> LCL Available <b>LCLStorage</b> LCL Storage <b>ScheduledCollection</b> Scheduled Collection <b>ScheduledDelivery</b> Scheduled Delivery
Format	Type xs:string
	Use required
	<b>General Notes</b> CONTAINER DATE FORMAT
	<b>Applicable Codes</b> <b>Date</b> CCYYMMDD <b>DateTime</b> CCYYMMDDHHMM
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>DateTime</b>	<b>Occurrence</b> 0 .. 1
Type	xs:string
	<b>General Notes</b> CONTAINER DATE/TIME
<b>TransportMovement</b>	<b>Occurrence</b> 0 .. 1
	Type sharedelements:TransportMovement
	<b>General Notes</b> TRANSPORT MOVEMENT
	<b>Examples</b> <TransportMovement> <Code>DR/CY</Code> <Description>Door to Container Yard</Description> </TransportMovement>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Code</b>	<b>Occurrence</b> 0 .. 1
Type	xs:string
	<b>General Notes</b> EQUIPMENT MOVEMENT CODE
	<b>Applicable Codes</b> <b>CFS/CFS</b> Container Freight Station to Container Freight Station <b>CFS/CY</b> Container Freight Station to Container Yard <b>CFS/DR</b> Container Freight Station to Door

Bold = Element, Italic = Attribute, Grey = Group





Element/Attribute	Annotation
	<b>Applicable Codes</b>
	<b>CY/CFS</b> Container Yard to Container Freight Station
	<b>CY/CY</b> Container Yard to Container Yard
	<b>CY/DR</b> Container Yard to Door
	<b>DR/CFS</b> Door to Container Freight Station
	<b>DR/CY</b> Door to Container Yard
	<b>DR/DR</b> Door to Door
	<b>FCL/FCL</b> FCL/FCL
	<b>FCL/LCL</b> FCL/LCL
	<b>LCL/FCL</b> LCL/FCL
<b>Description</b>	<b>LCL/LCL</b> LCL/LCL
	<b>RO/RO</b> Roll on, roll off
<b>TemperatureControl</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> EQUIPMENT MOVEMENT DESCRIPTION
<b>Type</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> sharedElements:TemperatureControl
	<b>General Notes</b> CONTAINER TEMPERATURE
	<b>Examples</b>
	<TemperatureControl Type="RecordedTemperature" Uom="CEL"> <Fixed>10</Fixed> </TemperatureControl>
<b>Uom</b>	<b>Type</b> xs:string
	<b>Use</b> required
	<b>General Notes</b> TEMPERATURE CONTROL TYPE
	<b>Applicable Codes</b>
	<b>RecordedTemperature</b> Recorded Temperature
<b>Fixed</b>	<b>Type</b> xs:string
	<b>General Notes</b> TEMPERATURE UNIT OF MEASURE
	<b>Applicable Codes</b>
	<b>CEL</b> Celsius
<b>xs:sequence</b>	<b>Occurrence</b> 1 .. 1
	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> TEMPERATURE